

**OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER: BARGARH
(HEALTH & F.W. DEPTT., GOVT. OF ORISSA)
TENDER CALL NOTICE**

E-mail id substore.bargarh@gmail.com Tel / Fax: 06646 -232804

**TENDER FOR EQUIPMENTS, INSTRUMENTS AND MEDICAL
MISCELLANEOUS ITEMS**

Bid Reference No. - 1081 / dt.21.02.2023

DATE OF COMMENCEMENT & DOWNLODING OF THE BID DOCUMENT:**dt.22.02.2023**

LAST DATE & TIME OF RECEIPT OF BID DOCUMENTS:**dt.14.03.2023 upto 4 PM**


DATE & TIME OF PRE-BID DISCUSSION:- **dt.28.02.2023,12 NOON**

DATE & TIME OF OPENING OF TECHNICAL BID: **dt.15.03.2023 ,At.11 A.M.**

DATE & TIME OF OPENING OF FINANCIAL BID: **dt.15.03.2023 ,At.1 P.M.**

PLACE OF OPENING OF BID DOCUMENTS: DTU, NHM, BARGARH

ADDRESS FOR COMMUNICATION
AND
RECEIPT OF BID DOCUMENTS



O/o. C.D.M & P.H.O, BARGARH
BARGARH - 768028

SALE OF TENDER / BID DOCUMENT

The Bidders have to download the Tender Documents directly from the WEBSITE available at bargarh.nic.in. The Tender processing cost fee of **Rs.2,000/- + 18% GST (Two thousand + 18 % GST) &** EMD amount of **Rs.50,000/-** (Rupees fifty thousand only) **in shape of separate** Demand Drafts drawn in favor of ZSS, NON-NRHM FUNDS, payable at Bargarh should be enclosed along-with the Bid documents in Cover-A, i.e technical bid & sealed price bid should be enclosed in another envelope Cover-B, i.e price bid. Then both the envelopes should be enclosed in the third envelope. The Bidders should specifically superscribe, “**TENDER FOR EQUIPMENTS, INSTRUMENTS AND MEDICAL MISCELLANEOUS ITEMS**” on the top left corner of the outer envelope containing Bid.

The tender paper will be rejected if the bidder changes any clause or Annexure of the bid document downloaded from the website.

TERMS AND CONDITIONS:-

- 1.1 Sealed tenders will be received by Dated **14/03/2023 upto 4 P.M** by the CDM & PHO, Bargarh through Courier/Speed Post/ Regd. Post only for the purchase of **equipments, instruments and medical miscellaneous items**. Any tender received after the due date & time will be rejected / returned to the sender unopened.
- 1.2 The bidder(s) are to submit their tender in sealed covered envelopes for technical bid and financial bid which should be super scribed as **“TENDER FOR EQUIPMENTS, INSTRUMENTS AND MEDICAL MISCELLANEOUS ITEMS”**.
- 1.3 The Sealed tenders submitted by the bidders will be opened at the DTU,**O/o CDM & PHO , Bargarh** on **dt.15.03.2023 at 11.00 AM**. The bidder or their only duly authorized representative is allowed to be present during the opening of the tenders if they so like.
- 1.4 No tender document(s) can be accepted after the expiry of scheduled date and time for receipt of bids.
- 1.5 The details of items and specification are mentioned at Annexure – I. The quantity to be procured may vary as per the demand / need.
- 1.6 Rate should be quoted in Indian Currency (with paisa in two decimals only), both in words and figures against each item as the payments will be made in Indian currencies only (as per **Annexure-II**). The bidder shall not quote the rate for any item other than the item specified in the list.
- 1.7 The **GST** will be charged as per the guidelines given by the Finance Dept., Govt. of Odisha from time to time.
- 1.8 Each page of the bid document shall be duly numbered, signed and self attested by the bidder.

A. Tender Processing Fee and EMD:

The bidder should furnish the EMD **of Rs.50,000/- (Fifty thousand only)** and Rs.2,000.00+18% GST towards processing fee (non-refundable) in shape of Bank Draft in favor of **“ZSS, NON-NRHM FUNDS** payable at Bargarh”. However the EMD of the non-responsive bidders will be returned after completion/finalization of the tender process and the EMD of the approved bidders will be kept as performance security for one year and return back after 1 year without interest.

B. ELIGIBILITY CRITERIA

Wholesalers / distributors / manufacturers are eligible to participate in the tender provided, they have:

- (i) Valid Manufacturing / Wholesale / Distributor License from the Drug Controller / competent authority.
- (ii) Proof of supply to any Govt. hospital / PSU hospital / corporate sector hospital
- (iii) Valid up-to-date TAX clearance certificate (Income Tax & GST).
- (iv) Annual Turnover of Rs. 1 Crore or more in each year in last three preceding years
- (v) Shall have PAN Card, GST registration.
- (vi) Bidders are requested not to quote of products of those manufacturing unit who has been blacklisted either by the tender inviting authority or by any state Govt. or Central Govt. organization.

C. DOCUMENTS SHOULD BE SUBMITTED WITH THE TECHNICAL BID (COVER-A):-

1. Tender processing fee of Rs.2,000/- + 18% GST.
2. Earnest Money Deposit (EMD) of Rs.50,000/-.
3. **Copy of latest I.T Return & GST payment receipt.**
4. **Copy of PAN CARD & GST registration certificate.**
5. Copy of Valid manufacturing / wholesale / Distributor license from the Drug Controller / competent authority.
6. List of item quoted (**Annexure – I(A)**)
7. Authorization in original of the manufacturer in the name of the bidder (Annexure-V) along with product certification copies.
8. Price Bid in hard copy **signed & sealed** in each page properly along with the soft copy of the quoted price.
9. Details name, address, telephone no., Fax, e-mail of the bidder.
10. Declaration as per format Annexure-III.
11. Annual Turnover as per format Annexure – IV

D. PRICE BID

1. The tender format giving the quoted rate for the items should be sent in a separate sealed covers hereafter called **Cover "B" (Price Bid)**.
2. The tender format (Price Schedule) in duplicate in the prescribed form (as per **Annexure – II**), both hard copy and soft copy must be submitted in the bid. The price of the item should be quoted inclusive of insurance, packing, forwarding, freight (door delivery) but exclusive

of Taxes . The rate should be quoted for each item both in figures and words. Only two decimal points (paise) will be taken into consideration ignoring the rest digits. **In case of difference in words and figures, words will be taken into consideration for evaluation.**

4. The quoted rates should be final and shall not be subject to any escalation during the validity of the tender.
5. The bidders should submit/furnish a certificate in the bid to the effect that the price quoted by them is not more than the open market price or also under GeM Rate Contract where such rates exist. However, in circumstances when the price decreases during the contract period, the approved supplier ethically, should intimate the same to the purchasing authority.

E. REJECTION OF THE TENDER:

The tender paper will be rejected, if any of the following documents are wanting /not found with the tender bid:

- (i) Non submission of relevant documents as mentioned in Clause-C.
- (ii) Price bid / quoted rate with signature and seal.

F. EVALUATION:

1. Bidders will be evaluated as per the requirement of the bid and the price bid will be opened only for the bidders who qualified in the **technical evaluation**.
2. The cost of the unit item **excluding** Taxes / GST will be evaluated.
3. If the approved lowest eligible supplier fails to supply items in time, to meet the requirement the same shall be procured from the L2/ L3 suppliers at L1 rate, if they agree to supply at L1 approved rate.

G. Performance Security:

1. **The EMD of the approved supplier(s) will be kept as performance security for one year. The EMD will be returned after 1 year without interest.**

H. SUPPLY & DELIVERY:

1. Supply shall be made within 30 days from the date of issue of purchase order or as mentioned in the purchase order.
2. Delivery shall be made at Sub-Store, O/o CDM & PHO, Bargarh.
3. **Non-supply / unwilling to supply the ordered quantity will lead to forfeiture of EMD submitted by the supplier.**

I. PAYMENT:

1. 100 % payment shall be made after submission of stock entry certificate(s) from the concerned authority and as per the availability of funds. Under no circumstances the supply should be interrupted as regards to payment.
2. **No advance payments towards cost of items supplied / turnkey job will be made to the approved bidder.**

J. PENALTIES:

1. If any item after use found to be **“Not of Satisfactory Quality”/Not as per the parameter/ Specification**, such item will be declared as “Not of Satisfactory Quality” on the basis of the report of the concerned user. The said product shall be frozen. The supplier has to replace fresh stock as per the purchased / supplied quantity and take back the frozen stock. In case the supplier fails to replace the stocks, the EMD will be forfeited. No further purchase order will be placed to the firm / supplier for the item(s) and the firm / supplier will be blacklisted/debarred from participating in any tender (for that item) floated in future for three years.

K. GENERAL CONDITIONS:

1. The tender documents should be clearly written /typed without any correction, interpolations and overwriting. Each page of the tender should bear the dated signature of the bidder.
2. All copies of the tender document should be self-attested. If any information or documents furnished by the bidder found to be misleading/incorrect at any stage, their tender will not be accepted.
3. The approved rate and supplier will be valid for **one year** from the date of approval or till finalisation of the next tender whichever is later.
4. If the last date of submission of bid being declared as a holiday for the purchaser’s office, the due date submission of bids and opening of bids will be the following working date & time.
5. The quantity of procurement will be made on requirement basis.
6. The authority reserves the right to accept /reject all the bids or any part thereof without assigning any reason thereof.
7. All legal disputes, if any relating to purchase etc. are subject to jurisdiction in the courts of law situated at Bargarh, Odisha or High Court of Odisha.


Chief District Medical & Public Health Officer,
Bargarh

ANNEXURE -I

Sl.No	Name of the Item	Specification	Rate quoted for
1	Labour Table with Matress	Specification Given Below	1 No
2	MTP Table with Matress	Specification Given Below	1 No
3	Patitent Examination Table	Specification Given Below	1 No
4	Proctoscope Set (Anal)-Bi fold-Adult	Proctoscope adult size Reusable, stainless steel with obturator	1 No
5	Proctoscope Set (Anal)-Bi fold-Paediatric	Proctoscope Pediatric Reusable, stainless steel with obturator	1 No
6	Miltex Metzbaum Scissor 7"	Stainless Steel	1 No
7	B.P Instrument Table Top (Aneroied)	Specification Given Below	1 No
8	B.P Instrument Table Top (Aneroied) Stand Type	Specification Given Below	1 No
9	B.P Instrument Digital (Aneroied)	Specification Given Below	1 No
10	Stethoscope Adult & Pediatrics	Specification Given Below	1 No
11	Weighing Scale Adult Manual	Specification Given Below	1 No
12	Weighing Scale Pediatric	Specification Given Below	1 No
13	Infant Weighing Scale	Specification Given Below	1 No
14	Needle and Hub Cutter Manual Steel base	Specification Given Below	1 No
15	Closed Stainless Steel Surgical Instrument Case carts	Specification Given Below	1 No
16	Dressing Trolley Stainless Steel	Specification Given Below	1 No
17	Medicine Trolley SS Top	Specification Given Below	1 No
18	SS ECG Machine Trolley	Specification Given Below	1 No
19	Stainless Steel Fumigation Steriliser	Specification Given Below	1 No
20	Cesarean Instrument Set		Rate Quoted for 1 Set (Each Set Contain the following items as per the detail given)

a.	BP Handle standard No.4	Medical Grade Stainless Steel	2 Nos
b.	Debakey Forceps plain 8" traumatic tissue forceps 2,0 mm straight.	Medical Grade Stainless Steel	4 Nos
c.	Debakey Forceps nontoothed 6'A "(2mm) atraumatic tissue forceps	Medical Grade Stainless Steel	4 Nos
d.	Adson Forceps plain 5"/12 cm	Medical Grade Stainless Steel	2 Nos
e.	Adson Forceps toothed 5"/12 cm	Medical Grade Stainless Steel	2 Nos
f.	Metzenbaum Scissors Strt 8" (TC TIP)	Medical Grade Stainless Steel	2 Nos
g.	Metzenbaum Scissor Curved 20 cm 8Inch (TC TIP)	Medical Grade Stainless Steel	2 Nos
h.	Kocher Artery Forceps Straight 18"-	Medical Grade Stainless Steel	1 Nos
i.	Babcock Tissue Forceps 6"	Medical Grade Stainless Steel	2 Nos
j.	Babcock Tissue Forceps 8 "	Medical Grade Stainless Steel	2 Nos
k.	Allis Tissue Forceps 6"	Medical Grade Stainless Steel	2 Nos
l.	Allis Tissue Forceps 8"	Medical Grade Stainless Steel	4 Nos
m.	Artery Forceps Cur 8" long /20cm	Medical Grade Stainless Steel	4 Nos
n.	Artery Forceps Cur 6" Medium 15 cm	Medical Grade Stainless Steel	2 Nos
o.	Mosquito Artery Forceps Cur 12.5"	Medical Grade Stainless Steel	4 Nos
p.	Doyen"s Retractor 80 x 53mm. 8 1/2722 c.m.	Medical Grade Stainless Steel	2 Nos
q.	Langenback Retractor 11x3Smm 8 1/2"/22 c.m.	Medical Grade Stainless Steel	1 Nos
r.	Heavy Straight Scissor S.S./Sharp8"/20cm	Medical Grade Stainless Steel	2 Nos
s.	Needle Holder 8" & 6"/20 cm &16 cm (TC TIP)	Medical Grade Stainless Steel	1 Nos
t.	Kidney Tray 8" S.S.	Medical Grade Stainless Steel	2 Nos
u.	Bowl S.S. 6" (medium)	Medical Grade Stainless Steel	3 Nos
v.	Green Armytage 8 3/4 "	Medical Grade Stainless Steel	2 Nos
w.	Artery Forceps str 6" /15 cm	Medical Grade Stainless Steel	2 Nos
x.	Right Angle Artery Forceps MIXTER 8"/20 cm	Medical Grade Stainless Steel	1 Nos
y.	Sponge Holding Forceps 10" & 6" /18cm	Medical Grade Stainless Steel	4 Nos
z.	Suction Tip Pool Straight 10mm S.S.	Medical Grade Stainless Steel	1 Nos
aa.	Cross Action Towel Clips Backhaus 3"	Medical Grade Stainless Steel	4 Nos
bb.	Wrigley Outlet Forceps	Medical Grade Stainless Steel	1 Pair
cc.	Silicone vaccum cup (medium)	Medical Grade Stainless Steel	1 Nos

dd.	Silicone vaccum cup (large)	Medical Grade Stainless Steel	1 Nos
ee.	Baby tray 20 x 16 x 3 inches, thickness 0.5 mm with rounded edges & without sharp.	Medical Grade Stainless Steel	1 Nos
21	Hysterectomy Instrument Set		Rate Quoted for 1 Set (Each Set Contain the following items as per the detail given)
a.	BP Handle No.04	Medical Grade Stainless Steel	2 Nos
b.	Dissecting Forceps plain 8"	Medical Grade Stainless Steel	1 Nos
c.	Dissecting Forceps toothed 8"	Medical Grade Stainless Steel	1 Nos
d.	Dissecting Forceps plain 6"	Medical Grade Stainless Steel	1 Nos
e.	Dissecting Forceps toothed 6"	Medical Grade Stainless Steel	1 Nos
f.	Kocher Artery Forceps Straight 8"	Medical Grade Stainless Steel	4 Nos
g.	Kocher Artery Forceps Cur 8"	Medical Grade Stainless Steel	4 Nos
h.	Artery Forceps Cur 8" long 04	Medical Grade Stainless Steel	4 Nos
i.	Artery Forceps Cur 6" Medium (FINE)	Medical Grade Stainless Steel	4 Nos
j.	Mosquito Artery Forceps Cur 5"	Medical Grade Stainless Steel	4 Nos
k.	Artery Forceps straight 6"	Medical Grade Stainless Steel	1 Nos
l.	Doyen's Retractor 3"	Medical Grade Stainless Steel	01 Nos +02 Nos
m.	Deaver"s Retractor 1" & 3"	Medical Grade Stainless Steel	3 Nos
n.	Langenback Retractor 8x35mm	Medical Grade Stainless Steel	1 Nos
o.	Morris Retractor with ring handle2.5"	Medical Grade Stainless Steel	2 Nos
p.	Babcock Tissue Forceps 6"	Medical Grade Stainless Steel	2 Nos
q.	Babcock Tissue Forceps 8"	Medical Grade Stainless Steel	6 Nos
r.	Allis Tissue Forceps 6"	Medical Grade Stainless Steel	4 Nos
s.	Allis Tissue Forceps 8"	Medical Grade Stainless Steel	2 Nos
t.	Kidney Tray 8" S.S.	Medical Grade Stainless Steel	2 Nos
u.	Bowl S.S. 6"	Medical Grade Stainless Steel	2 Nos
v.	Metzenbaum Scissor Straight 8" (TC TIP	Medical Grade Stainless Steel	2 Nos

w.	Metzenbaum Scissor Cur 6" (TC TIP)	Medical Grade Stainless Steel	2 Nos
x.	Metzenbaum Scissor Cur 8" (TC TIP)	Medical Grade Stainless Steel	2 Nos
y.	Needle Holder 6" (TC TIP) straight	Medical Grade Stainless Steel	2 Nos
z.	Needle Holder 6" (TC TIP) curved	Medical Grade Stainless Steel	2 Nos
aa.	Needle Holder 8" (TC TIP)	Medical Grade Stainless Steel	2 Nos
bb.	Myomectomy Screw (small)	Medical Grade Stainless Steel	1 Nos
cc.	Myomectomy Screw (medium)	Medical Grade Stainless Steel	1 Nos
dd.	Myomectomy Screw (large)	Medical Grade Stainless Steel	1 Nos
ee.	Right Angle Artery Forceps MIXTER 6"	Medical Grade Stainless Steel	2 Nos
ff.	Right Angle Artery Forceps MIXTER 8"	Medical Grade Stainless Steel	2 Nos
gg.	Sponge Holding Forceps 10"	Medical Grade Stainless Steel	2 Nos
hh.	Balfour Retractor 10" shaft for abdominal hysterectomy	Medical Grade Stainless Steel	1 Nos
ii.	Suction Tip Yankeur All 5.5	Medical Grade Stainless Steel	1 Nos
jj.	Suction Tip Pool Straight 8mm All S.S.	Medical Grade Stainless Steel	1 Nos
kk.	Cross Action Towel Clips Backhaus 3"	Medical Grade Stainless Steel	4 Nos
ll.	Heaney Atraumatic Straight Hysterectomy Clamps 23cm/9"	Medical Grade Stainless Steel	4 Nos
mm.	Heaney Atraumatic Curved Hysterectomy Clamps 23cm/9 inches	Medical Grade Stainless Steel	4 Nos
nn.	Uterine manipulator. double action 11"	Medical Grade Stainless Steel	2 Nos
oo.	Mayes Scissors (TC TIP) straight 13cm/5 Inches	Medical Grade Stainless Steel	5 Nos
pp.	Kelly Hemostatic forceps straight 14cm/5 1/2 inches	Medical Grade Stainless Steel	2 Nos
qq.	Right Angle Artery Forceps MIXTER 8720 cm	Medical Grade Stainless Steel	1 Nos
rr.	Landons bladder retractor	Medical Grade Stainless Steel	1 Nos
ss.	Suction tips 19 cm/7 1/2 inches SS	Medical Grade Stainless Steel	1 Nos
tt.	Micro needle holder straight round handle with ratchet serrated T02 (TC TIP) 18cm/5 inches	Medical Grade Stainless Steel	2 Nos
uu.	Micro scissors round handle blade 14mm straight (TC TIP) 7.5"	Medical Grade Stainless Steel	1 Nos
vv.	wertheim's Vaginal clamp 8.5"	Medical Grade Stainless Steel	1 Nos
ww.	TC parametrium scissors Gold cult curved 23cm	Medical Grade Stainless Steel	1 Nos
xx.	Shirodkar"s uterine holding forceps & rubber pad .	Medical Grade Stainless Steel	1 Nos

yy.	POZZIS self-Retaining RETRACTOR	Medical Grade Stainless Steel	1 Set
zz.	Towel Forceps curved 6"	Medical Grade Stainless Steel	2 Nos
aaa.	Kidney Tray 10" S.S	Medical Grade Stainless Steel	1 Nos
bbb.	Bowl S.S. (medium)	Medical Grade Stainless Steel	3 Nos
ccc.	Doyen's 8" shaft	Medical Grade Stainless Steel	1 Nos
22	Dilation & Curettage Kit Set		Rate Quoted for 1 Set (Each Set Contain the following items as per the detail given)
a.	KIDNEY TRAY MEDIUM	Medical Grade Stainless Steel	1 Nos
b.	TOWEL CLIPS	Medical Grade Stainless Steel	6 Nos
c.	SS TRAY	Medical Grade Stainless Steel	2 Nos
d.	SS BOWL	Medical Grade Stainless Steel	2 Nos
e.	SPONGE HOLDER	Medical Grade Stainless Steel	2 Nos
f.	DISSECTING TOOTH FORCEPS 15CM	Medical Grade Stainless Steel	2 Nos
g.	DISSECTING PLAIN FORCEP 15CM.	Medical Grade Stainless Steel	2 Nos
h.	MAYO SCISSORS ST 15CM.	Medical Grade Stainless Steel	1 Nos
i.	ARTERY Curved 15CM	Medical Grade Stainless Steel	2 Nos
j.	METAL CATHETER 5MM	Medical Grade Stainless Steel	1 Nos
k.	SIMS VAGINAL SPECULUMN small	Medical Grade Stainless Steel	1 Nos
l.	SIMS VAGINAL SPECULUMN medium	Medical Grade Stainless Steel	1 Nos
m.	SIMS VAGINAL SPECULUMN large	Medical Grade Stainless Steel	1 Nos
n.	OVUM FORCEPS 8MM	Medical Grade Stainless Steel	1 Nos
o.	OVUM FORCEPS 10MM	Medical Grade Stainless Steel	1 Nos
p.	SIMPSON UTERINE SOUND	Medical Grade Stainless Steel	1 Nos
q.	HSG CANNULA 13MM	Medical Grade Stainless Steel	1 Nos
r.	HSG CANNULA 16MM	Medical Grade Stainless Steel	1 Nos
s.	UTERINE CURRETTE double ended	Medical Grade Stainless Steel	1 Each
t.	HEANEY VAGINAL RETRACTOR	Medical Grade Stainless Steel	1 Nos

u.	PUNCH BIOPSY FORCEP.	Medical Grade Stainless Steel	1 Nos
v.	HEGARS DILATOR SET (13 dilator)	Medical Grade Stainless Steel	1 Set
w.	VULSELLUM FORCEP CURVED 20CM.	Medical Grade Stainless Steel	1 Nos
x.	UTERINE TINACULUM STRAIGHT	Medical Grade Stainless Steel	1 Nos
y.	ALLIS FORCEP 20CM	Medical Grade Stainless Steel	2 Nos
z.	TISSUE FORCEP	Medical Grade Stainless Steel	2 Nos
aa.	Kelly PLACENTAL FORCEP CURVED	Medical Grade Stainless Steel	1 Nos
bb.	Novaks curette 24 cm(3mm)	Medical Grade Stainless Steel	1 Nos
cc.	Novaks curette 25 cm(4mm)	Medical Grade Stainless Steel	1 Nos
23	Normal Delivery Instrument Set		Rate Quoted for 1 Set (Each Set Contain the following items as per the detail given)
a.	Sponge holding forceps 18 cm	Medical Grade Stainless Steel	3 Nos
b.	Scalpel handle 1	Medical Grade Stainless Steel	1 Nos
c.	Scalpel handle 3	Medical Grade Stainless Steel	1 Nos
d.	Artery forceps curved 14-16 cm	Medical Grade Stainless Steel	2 Nos
e.	Artery forceps straight 14-16cm	Medical Grade Stainless Steel	2 Nos
f.	Artery forceps curved 18-19 cm	Medical Grade Stainless Steel	2 Nos
g.	Artery forceps straight 18-19 cm	Medical Grade Stainless Steel	2 Nos
h.	Allis tissue grasping forceps 5/6 teeth 18-20cm	Medical Grade Stainless Steel	2 Nos
i.	Allis tissue grasping forceps 5/6 14-16 cm	Medical Grade Stainless Steel	2 Nos
j.	Derf needle holder	Medical Grade Stainless Steel	1 Nos
k.	Mayo hegar needle holder	Medical Grade Stainless Steel	1 Nos
l.	Episiotomy scissor	Medical Grade Stainless Steel	1 Nos
m.	Single forceps toothed	Medical Grade Stainless Steel	2 Nos
n.	Plain forceps	Medical Grade Stainless Steel	2 Nos
o.	Poole suction cannula curved	Medical Grade Stainless Steel	1 Nos
p.	Anterior vaginal wall retractor	Medical Grade Stainless Steel	2 Nos

q.	Sims vaginal speculum medium	Medical Grade Stainless Steel	1 Nos
r.	Sims vaginal speculum large	Medical Grade Stainless Steel	1 Nos
s.	Female metal catheter 12	Medical Grade Stainless Steel	1 Nos
t.	Female metal catheter 14	Medical Grade Stainless Steel	1 Nos
u.	SS instrument tray with lid 10x 12 Inch	Medical Grade Stainless Steel	1 Nos
v.	SS instrument tray with lid 15x 12 Inch	Medical Grade Stainless Steel	1 Nos
w.	Ovum forceps 24 cm 8mm	Medical Grade Stainless Steel	1 Nos
x.	Ovum forceps 26 cm 10mm	Medical Grade Stainless Steel	1 Nos
y.	Cheatle forceps	Medical Grade Stainless Steel	1 Nos
z.	Cusco vaginal speculum(large)	Medical Grade Stainless Steel	1 Nos
aa.	Wrigley's outlet forceps	Medical Grade Stainless Steel	1 Nos
bb.	Silicone vaccum cup large	Medical Grade Stainless Steel	1 Nos
cc.	Silicone vaccum cup medium	Medical Grade Stainless Steel	1 Nos
dd.	Kelly placental forceps curved	Medical Grade Stainless Steel	1 Nos
ee.	Metal catheter 5mm	Medical Grade Stainless Steel	1 Nos
ff.	MAYO SCISSORS ST 15CM.	Medical Grade Stainless Steel	1 Nos
24	IOL (Hydrophobic; Foldable) Pre-filled	Pre-Filled, Hydrophobic foldable Acrylic Single Piece lens. Chamber: Posterior optical dia.5.8/ 6.0mm, overall length: 12.5mm, positioning hole: Zero.U V,Free flow (All sizes and power (+ve and -ve))	Each
25	IOL (Hydrophilic; Foldable) Pre-filled Hydrophilic foldable Acrylic Single Piece lens. Chamber: Posterior optical dia. 5.8/6.0mm, overall length: 12.5mm, positioning hole: Zero. Free Flow(All sizes and power (+ve and -ve))	Hydrophilic foldable Acrylic Single Piece lens. Chamber: Posterior optical dia. 5.8/6.0mm, overall length: 12.5mm, positioning hole: Zero. Free Flow (All sizes and power (+ve and -ve))	Each
26	IOL (Normal) IOL (All sizes and power (+ve and -ve))	A. Single piece PMMA (PC) B. Chamber: Posterior optical dia. 5.8/6.0mm, overall length:12.5mm, positioning hole:2 Nos. C. Optic design: Biconvex D. Constant: 118.20 E. Angulation: 10 deg; (All powers)	Each

27	IOL (SF Normal)	All size & power	Each
28	IOL (SF with hole)	Optic design: Biconvex	Each
26	Alice tissue forceps St (6")	Straight, 6", Carbon Steel	Each
27	Alice tissue forceps st (8")	Straight, 8", Carbon Steel	Each
28	Artery forceps Curved (4")	Curved 4", Carbon Steel	Each
29	Artery forceps Curved (6")	Curved (6") , Carbon Steel	Each
30	Artery forceps Curved (8")	Curved (8"), Carbon Steel	Each
31	Artery forceps Mosquito (4")	4", Carbon Steel	Each
32	Artery forceps Mosquito (6")	6", Carbon Steel	Each
33	Artery forceps St (4")	Straight 4", Carbon Steel	Each
34	Artery forceps St (6")	Straight 6", Carbon Steel	Each
35	Artery forceps St (8")	Straight 8", Carbon Steel	Each
36	Bowl Large	Stainless Steel, Heavy gauze	Each
37	Bowl Medium	Stainless Steel, Heavy gauze	Each
38	Bowl Small	Stainless Steel, Heavy gauze	Each
39	BP Blade Handle	All sizes	Each
40	Chittle Forceps (10")	Medical Grade Stainless Steel	Each
41	Chittle Forceps (12")	Medical Grade Stainless Steel	Each
42	Chittle Forceps Stand	Medical Grade Stainless Steel	Each
43	Cidex Trey with cover	Stainless Steel / Fibre Plastic	Each
44	Cusco's Speculum	Large, Stainless Steel	Each
45	Cusco's Speculum	Medium, Stainless Steel	Each
46	Cusco's Speculum	Small, Stainless Steel	Each
47	Cusco's Speculum	Large, Disposable	Each
48	Cusco's Speculum	Medium, Disposable	Each
49	Cusco's Speculum	Small, Disposable	Each
50	Dental Forceps Set	For Tooth extraction, Stainless Steel, all items in one box.	Set
51	Dissecting Forceps	6", Plain, Stainless Steel	Each
52	Dissecting Forceps Toothed	6", Toothed, Stainless Steel	Each

53	Doyens retractor (Large)	Large	Each
54	Doyens retractor (Medium)	Medium	Each
55	Dressing Drum Seamless, size 11x9	11x9, Stainless steel	Each
56	Dressing Drum Seamless, size 15x12	15x12, Stainless steel	Each
57	Dressing Drum Seamless, size 9x9	9x9, Stainless steel	Each
58	Episetomy Scissor	6 inch	Each
59	Episetomy Scissor	8 inch	Each
60	Foot Step	1) Polished SS tubular legs fitted with high quality nylon grommet. 2) SS made top having high grade 3mm nylon matting and aluminum beading 3) Overall size: - 460(L)*510(W)*460(H)(for Double Foot Step Stool)4) All the Stainless Steel should be seamless conforming to 304 grade/ 16 gauge and polished finished	Each
61	Instrument Tray with cover SS,	size 12x10	Each
62	Instrument Tray with cover SS,	size 15x12	Each
63	Instrument Tray with cover SS,	size 18x12	Each
64	Instrument Tray with cover SS,	size 8x3	Each
65	Kidney Tray, SS 10"	Stainless Steel	Each
66	Kidney Tray, SS 12"	Stainless Steel	Each
67	Kidney Tray, SS 6"	Stainless Steel	Each
68	Kidney Tray, SS 8"	Stainless Steel	Each
69	Mayo's Scissor 10"	Stainless Steel	Each
70	Mayo's Scissor 8"	Stainless Steel	Each
71	Needle holder (6")	Stainless Steel	Each
72	Needle holder (8")	Stainless Steel	Each
73	O2 cylinder valve opening Spanner, heavy, brass	Heavy and Brass handle	Each
74	Plain Scissor 6"	Stainless Steel	Each
75	Plain Scissor 8"	Stainless Steel	Each
76	Scissor Curved 6"	Stainless Steel	Each

77	Scissor Curved 8"	Stainless Steel	Each
78	Scissor Sharp Blunt 8"	Stainless Steel	Each
79	Scissor Sharp tip 8"	Stainless Steel	Each
80	Sharp Scissor 6"	Stainless Steel	Each
81	Sharp Scissor 8"	Stainless Steel	Each
82	Sims Speculum	Large, SS	Each
83	Sims Speculum	Medium, SS	Each
84	Sims Speculum	Small, SS	Each
85	Tailor Scissor	Brass Handle	Each
86	Tailor Scissor	Brass Handle	Each
87	Tongue Depressor	Large, Stainless Steel	Each
88	Tongue Depressor	Medium, Stainless Steel	Each
89	Tongue Depressor	Small, Stainless Steel	Each
90	Towel Clip	Medical Grade Stainless Steel	Each
91	Vacuum Ventus Cup (set) for extraction of babies	Size – 60 (10%)	Each
92	Vacuum Ventus Cup (set) for extraction of babies	Size - 70 (90%)	Each
93	List of Instrument for NOHP(Oral Health)Care Service		
a.	Lower Molar Forceps	Made With Stainless Steel With CE Certificate	Each
b.	Lower Pre Molar Forceps	Made With Stainless Steel With CE Certificate	Each
c.	Lower anterior Forceps	Made With Stainless Steel With CE Certificate	Each
d.	Upper Molar Forceps left	Made With Stainless Steel With CE Certificate	Each
e.	Upper Molar Forceps right	Made With Stainless Steel With CE Certificate	Each
f.	Upper Pre-molar forceps	Made With Stainless Steel With CE Certificate	Each
g.	Upper Anterior Forceps dental	Made With Stainless Steel With CE Certificate	Each
h.	Upper root Forceps	Made With Stainless Steel With CE Certificate	Each
i.	Upper cow horn forceps left	Made With Stainless Steel With CE Certificate	Each
j.	Upper cow horn forceps Right	Made With Stainless Steel With CE Certificate	Each
k.	Cryer elevators	Made With Stainless Steel With CE Certificate	1 Set of Box
l.	Coupland Elevator	Made With Stainless Steel With CE Certificate	Set of 3 Size
m.	Warwick james elevator	Made With Stainless Steel With CE Certificate	Set of 3 Size (Straight,Left,Right)

n.	Periosteal Elevator	Made With Stainless Steel With CE Certificate Size -9	Each
o.	Straight Elevator	Made With Stainless Steel With CE Certificate-No-20	Each
p.	Curved Scissor	Made With Stainless Steel With CE Certificate	Each
q.	Mosquito Artery forceps	Made With Stainless Steel With CE Certificate	Each
r.	Needle Holder	Made With Stainless Steel With CE Certificate	Each
s.	Curved Needle for Dental Use	Made With Stainless Steel With CE Certificate	Each
t.	B.P.Handle for No 15 Blade	Made With Stainless Steel With CE Certificate	Each
u.	Surgical curette	Made With Stainless Steel With CE Certificate	Each
v.	Mouth Mirror	Made With Stainless Steel With CE Certificate	Each
w.	Dental Explorer	Made With Stainless Steel With CE Certificate	Set of Different type
x.	Tweezers for dental use	Made With Stainless Steel With CE Certificate,6 Inch	Each
y.	Bone rongeur (leksell nibbler)	Made With Stainless Steel With CE Certificate	Each
z.	Stell brink bone rongeur 175mm slightly curved	Made With Stainless Steel With CE Certificate	Each
aa.	Zaufal jenson bone rongeur 01 (180 mm slightly curved)	Made With Stainless Steel With CE Certificate	Each
bb.	Lempert bone rongeur 01 200 mm straight	Made With Stainless Steel With CE Certificate	Each
cc.	Bone file	Made With Stainless Steel With CE Certificate(10,11,12)	Set of 3 Size
dd.	Surgical Burs (702)	Made With Stainless Steel With CE Certificate	Each
ee.	Upper 3rd Molar Forceps	Made With Stainless Steel With CE Certificate	Each
ff.	Pedo extraction forceps	Made With Stainless Steel With CE Certificate, (Upper Anterior, Upper Molar, Upper Premolar, Upper Root, Lowe Incisor, Lower Molar, Lower Root)	7 Nos of Sets
94	List of Consumables Items under NOHP		
a.	Dental Burs round Small	Made With Stainless Steel With CE Certificate	Each
b.	Dental Burs round Medium	Made With Stainless Steel With CE Certificate	Each
c.	Dental Burs Endo access bur	Made With Stainless Steel With CE Certificate	Each
d.	Dental Burs Straight Fissure (SF21)	Made With Stainless Steel With CE Certificate	Each
e.	Dental Burs Straight Fissure (SF31)	Made With Stainless Steel With CE Certificate	Each
f.	Dental Burs Straight Fissure (SF41)	Made With Stainless Steel With CE Certificate	Each
g.	Dental Burs Inverted cone Small	Made With Stainless Steel With CE Certificate	Each

h.	Dental Burs Inverted cone Medium	Made With Stainless Steel With CE Certificate	Each
i.	Dental Burs Tapered Fissure (TF12)	Made With Stainless Steel With CE Certificate	Each
j.	Dental Burs Tapered Fissure (TF13)	Made With Stainless Steel With CE Certificate	Each
k.	Glass Ionomer cement (Type-I)(Powder and liquid)	The cement packet should consist of powder and liquid in a separate bottle with powder dispensing scoop, paper pad and mixing spatula. There should be at least 10ml of liquid and 30gm of powder in the packet. The expiry date should be at least 1 year from the date of supply.	Packet
l.	Glass Ionomer cement (Type-II) (Powder and liquid)	The cement packet should consist of powder and liquid in a separate bottle with, powder dispensing scoop, paper pad and mixing spatula. There should be at least 10ml of liquid and 30 gm of powder in the packet. The expiry date should be at least 1 year from the date of supply.	Packet
m.	Matrix retainer (No. 8)	The retainer should be made up of high quality stainless steel. It should have long handle with pointed tips and auto clavable.	Piece
n.	Matrix retainer (No. 1)	The retainer should be made up of high quality stainless steel and auto clavable.	Piece
o.	Tofflemire Retainer	The tofflemire matrix retainer should be of universal size and made up of high strength stainless steel. It should be autoclavable.	Piece
p.	Matrix band (No. 8)	It should be made up of high quality stainless steel. Each packet should contain 12 no of matrix bands of different sizes.	Packet
q.	Matrix band (No.1)	It should be made up of high quality stainless steel. Each packet should contain 12 no of matrix bands.	Packet
r.	Tofflemire matrix band	The system should consist of matrix retainer and matrix band (30-40) for premolars and molars in small, medium and large size.	Packet
s.	Zinc oxide powder	The pack should contain zinc oxide powder of 100mg in a plastic bottle. The expiry date should be at least for 1 year from the date of supply.	Packet

t.	Eugenol	The pack should contain eugenol solution in 10ml bottles. The expiry date should be at least for 1 year from the date of supply.	Vial/Packet
u.	Composite restorative material for tooth color restoration-A1	The packet should contain a 3.5gm syringe of composite filling material of shade A1.The expiry date should be at least for 2 years from the date of supply.	Packet
v.	Composite restorative material for tooth color restoration-A2	The packet should contain a 3.5gm syringe of composite filling material of shade A2.The expiry date should be at least for 2 years from the date of supply.	Packet
w.	Composite restorative material for tooth color restoration-A3	The packet should contain a 3.5gm syringe of composite filling material of shade A3.The expiry date should be at least for 2 years from the date of supply.	Packet
x.	Composite restorative material for tooth color restoration-B1	The packet should contain a 3.5gm syringe of composite filling material of shade B1.The expiry date should be at least for 2 years from the date of supply.	Packet
y.	Composite restorative material for tooth color restoration-B2	The packet should contain a 3.5gm syringe of composite filling material of shade B2.The expiry date should be at least for 2 years from the date of supply.	Packet
z.	Composite restorative material for tooth color restoration-Universal Shade	The packet should contain a 3.5gm syringe of composite filling material of shade-Universal.The expiry date should be at least for 2 years from the date of supply.	Packet
aa.	Universal Bonding Agent	The dentin bonding agent should be available in a bottle Containing 5gm of bonding agent.	Packet
bb.	Applicator tip	The packet should contain atleast 100 applicator tips in each pack.	Packet
cc.	37% etchant gel	The bottle should contain 37% phosphoric etchant liquid-gel. The bottle should contain atleast 9ml of etchant gel.The expiry date should be at least for 1 year from the date of supply.	Packet
dd.	Flowable composite	The packet should contain a 2gm syringe of flowable composite filling material of shade A1.The expiry date should be at least for 1 year from the date of supply.	Vial
ee.	Flowable composite	The packet should contain a 2gm syringe of flowable composite filling material of shade A2.The expiry date should be at least for 1 year from the date of supply.	Packet
ff.	Alginate impression material	The packet should contain 450gm of dust free powder. It should have good flavor. The expiry date should be at least for 1 year from the date of supply.	Packet
gg.	Dental Stone plaster	The packet should contain high quality dental stone plaster / green stone packed 3kg.	Packet
hh.	Calcium Hydroxide paste	The pack should have one tube of radio-opaque calcium hydroxide paste. The expiry date should be at least for 1 year from the date of supply.(2.5 ml / syringe, Disposable tips & Radio-opaque	Packet
ii.	EDTA gel for Root Canal	The packet should contain combination of ethylene diametetraacetic acid(EDTA) and carbamide peroxide in water soluble gel base form of 5g syringe (pack of 3) with screw	Packet

		design stopper. The packet should contain at least 15 applicator tips. The expiry date should be at least for 1 year from the date of supply.	
jj.	K-file (10 no)(21mm)	The assorted pack of K-file (10)(21mm) should have good flexibility, high quality cutting efficiency and fracture resistance.	Packet
kk.	K-file (10 No)(25mm)	The assorted pack of K-file (10)(25mm) should have good flexibility, high quality cutting efficiency and fracture resistance.	Packet
ll.	K-file (10 no)(28mm)	The assorted pack of K-file (10)(28mm) should have good flexibility, high quality cutting efficiency and fracture resistance.	Packet
mm.	K-file (15-40 no)(21mm)	The assorted pack of K-file (15-40)(21mm) should have good flexibility, high quality cutting efficiency and fracture resistance.	Packet
nn.	K-file (15-40 no)(25mm)	The assorted pack of K-file (15-40)(25mm) should have good flexibility, high quality cutting efficiency and fracture resistance.	Packet
oo.	K-file (15-40 no)(28mm)	The assorted pack of K-file (15-40)(28mm) should have good flexibility, high quality cutting efficiency and fracture resistance.	Packet
pp.	K-file (45-80) (21mm)	The assorted pack of K-file (45-80)(21mm) should have good flexibility, high quality cutting efficiency and fracture resistance.	Packet
qq.	K-file (45-80) (25mm)	The assorted pack of K-file (45-80)(25mm) should have good flexibility, high quality cutting efficiency and fracture resistance.	Packet
rr.	H-file (15-40)(21mm)	The assorted pack of H-file (15-40)(21mm) should have good flexibility, high quality cutting efficiency and fracture resistance.	Packet
ss.	H-file (15-40)(25mm)	The assorted pack of H-file (15-40)(25mm) should have good flexibility, high quality cutting efficiency and fracture resistance.	Packet
tt.	of H-file (45-80)(21mm)	The assorted pack of H-file (45-80)(21mm) should have good flexibility, high quality cutting efficiency and fracture resistance.	Packet
uu.	H-file (45-80)(25mm)	The assorted pack of H-file (45-80)(25mm) should have good flexibility, high quality cutting efficiency and fracture resistance.	Packet
vv.	Sodium Hypochlorite 3%	500 ml Bottle	Packet
ww.	2% GP Point(-2% (15-40)(25mm)	The assorted pack of GuttaPercha points-2% (15-40)(25mm) should be of high quality.	Bot
xx.	4% GP Point (15-40)(25mm)	The assorted pack of GuttaPercha points-4%	Packet

		(15-40)(25mm) should be of high quality.	
yy.	2% GP Point (45-80)(25mm)	The assorted pack of GuttaPercha points-2% (45-80)(25mm) should be of high quality	Packet
zz.	2% Paper Points (15-100)	The 25-2% paper point should be of high quality for various endodontic uses. The expiry date should be at least for 2 years from the date of supply.	Packet
aaa.	Calium Hydroxide based root canal sealer.	The packet should contain base tube (15gm) and catalyst tube (15gm) with mixing pad. The expiry date should be at least 1 year from the date of supply.	Packet
bbb.	Fluoride Varnish	The packet should contain a syringe/clicker of 10 mg. The expiry date should be at least for 1 year from the date of supply.	Packet
ccc.	Pit and fissure sealant	The material should work with wet-bonding resin technology in a 3ml syringe pack. The expiry date should be at least for 1 year from the date of supply.	Packet
ddd.	Plastic Spatula	Plastic Base	Packet
eee.	Steel Spatula	Stainless Steel Plastic Handle	5 Pcs/Pkt
fff.	Glass Slab for dental cement mixing	Dimension Size L-120 MM,H-7 MM and 78 MM	Each
ggg.	Spoon Excavator	Sharp Stainless Steel High Quality Size No #1, #1S	Each
hhh.	Erich Arch Bar	It should be made up from high quality stainless steel	Each
95	VIA Kit		
a.	Gloves Size-6,6.5 and 7	100 Pcs	1 Pkt
b.	Cotton Swabs for Vaginal inspection	100 Pcs	1 Pkt
c.	Distilled Water	1 Liter	Each
d.	Glacial Acetic Acid	500 Ml	Each
96	OVE Kit		
a.	Deposable Tongue Depressor	100 Pcs	Each
b.	Oral Examination Spatula	1 Pcs	Each
97	Sensa Core Gluco Spark Blood Glucose Test Strips	For Sensa Core's Gluco Spark Glucose Meter	50 Nos/Pkt

TECHNICAL SPECIFICATION

1-Labour Table with Mattress

Material : Stainless steel
Function: Backrest
Specific Usage: Labour Room And OT
Dimension(L*W*H) 1830 mm X 760 mm X 810 mm Millimeter (mm)
Maximum Loading 150 kg Kilograms (kg)
Feature: Water Resistance, Durable
Style: Indian Style
Folded: Yes,
Mattress Material Foam
Warranty 1Year

2-MTP Table with Mattress

Size (L 72X W 36 H 32 inches)
Material- Full Body Stainless Steel with with lithotomy rods
Accessories- include mattress & leggigs / legs holder
"U" Shape Cut at one end. Mattress Material Foam
Warranty 1 year

3-Patient Examination Table

Size 1830L X 610W X 825H mm,
Warranty 1yr
Shape Rectangle
Material Stainless Steel
Mattress Material Foam, Warranty 1Year

4-B.P Instrument Table Top (Aneroid)

1. Should be aneroid type
2. Should have ISI mark
3. Should have a measuring range from 0 to 300 hg
4. Should be provided with adult arm cuffs of size medium and large and pediatric cuff
5. The dial manometer markings and graduations should be permanent and clearly visible and filled with pigments, with minimum diameter of 160 mm
6. Body & bezel – aluminium die casted (powder coated), screw top bezel
7. Sending-corrugated phosphorous bronze twin capsule bellow
8. Movement mechanism – brass
9. Connection: brass, nickel plated for 3-4 mm rubber hose
10. Dial-aluminium
11. Pointer-white coated, thin & sharp made of phosphorous bronze
12. Window lenses- clear plastic
13. All plastic parts, if any used, should not crack, flake, peel or disintegrate during normal use
14. The inflating rubber bag should be capable of withstanding internal pressure of 450mmhg without leaking
15. The inflating bulb should be soft and should not have any joints or ridges
16. The fastening arrangements of the cuff should be of hook and loop type
17. The threading and fastening arrangement of the cuff should show no sign of slip or failure when subjected to the maximum test conditions
18. The rubber tubes used should have an internal diameter of 3 ± 0.5 mm and the external diameter should not be less than 8mm
19. The tubes should be fitted with male and female leur connectors
20. Should provide a carry bag to keep the whole system safe and sound. All parts should be replaceable in case of breakage
21. User/technical/maintenance manual to be supplied

5-B.P Instrument Table Top (Aneroid) Stand Type

1. Should be portable type, stand model
2. Should have ISI mark
3. Should have a measuring range from 0 to 300 mmhg

4. Should be provided with adult arm cuffs of size medium, large and pediatric cuff
5. The control valve should have a thumb control device
6. The manometer scale markings and graduations should be engraved or etched and filled with pigments and it should meet the requirements of boil test
7. The internal diameter of the manometer glass tube should be 4.1 ± 0.1 mm and the thickness not less than 2mm
8. Plastic parts, if any used should not crack, flake, peel or disintegrate during normal use
9. The inflating rubber bag should be capable of withstanding an internal pressure of 450mmhg without leaking
10. The inflating bulb should be soft and should not have any joints or ridges
11. The fastening arrangements of the cuff should be of hook and loop type
12. The threading and fastening arrangement of the cuff should show no sign of slip or failure when subjected to the maximum test conditions
13. The rubber tubes used should have an internal diameter of 3 ± 0.5 mm and the external diameter should not be less than 8mm
14. The housing case should be of robust design. It should have press to release lock. It should have metal hinges. The tube should be secured with metal screws and clamps. It should have mechanism to hold the lid in right angles and should prevent accidental dropping. All parts should be replaceable in case of breakage
15. A cleaning brush to clean the manometer tube and a set of spare washers may be provided with each unit
16. Should be mounted on good quality wheels
17. Spiral tubing
18. User/technical/maintenance manual to be supplied.

6- Stethoscope Adult & Pediatric

To listen the lung and heart sounds

Should have high quality sound transmission.

Length should be 27" to 29"

Should be light weight

Chest piece- adult & paediatric

Preferable colour -black

Should have tight and soft sealing ear tips

System Configuration Accessories, spares and

consumables: Diaphragms, Eartips, Binaurals rims

Documentation: Manufacturer should have ISO

certification for quality standards

7- Weighing Scale Adult Manual

Weighing capacity should be atleast 140 kgs

Weight graduations should be atleast 0.5Kgs

Should have circular/rectangular weighing platform.

Should have the ISO 13485 certification and the copy of the same should be enclosed along with the technical bid.

8. Weighing Scale Pediatric

- Weight Limit-10 Kilograms
- Dimensions-30L x 29W x 29H Centimeters
- Material-ABS Plastic Body with Plastic Pan
- Heavy gauge, Big tray with smooth edges, measuring tape on tray
- Easy removable pan with sliding mechanism : Capacity 10 Kgs
- Accuracy as per International Standards.
- 1 Year Warranty

9- Infant Weighing Scale

1. It should be a digital electronic scale
2. Should have capacity weighing range of 0 - 20 kg with an accuracy of ± 5 gm
3. Weighing unit: Standard display in grams
4. Pan size: 630 x 300 mm ± 25 mm
5. Pan material: Fibre resistant plastic (pupe coated)
6. Display: Bright LED or LCD display for easy viewing
7. Should have functions TARE, Auto-HOLD and Automatic switch-off
8. Insulation should be Protection Class II approved
9. Should be light weight and has a handle for easy transportation
10. The scales are only cleaned with normal disinfectants
11. Should have operated by battery or power supply

- 12. Battery backup: At least 3 hours
- 13. Should have a measuring rod and a head positioner
- 14. Should be supplied with detachable Baby Measuring Rod with measuring range: 35 – 80 cm with graduation of 1 mm
- 15. Should be ISO and European CE certified
- 16. Original of the operator and service manual to be provided along with the equipment

10-Needle and Hub Cutter Manual Steel base

Manual with lever handle at top, to terminate needles and hub together, material- puncture proof plastic and rust proof metal, capacity 1.5 ltr., autoclavable.

11. B.P Instrument Digital (Aneroid)

Measurement Range Pressure: 0-300mmHg (0-40kpa)
 Pulse 40 -199 BPM
 Operating Temperature/ Humidity 10°C to 40°C / 15% TO 90% RH
 Storage Temperature/ Humidity -20°C to 60°C /£ 90%RH
 Cuff Conference 22 – 34 cm
 Accuracy ± 3 mmHg
 Pulse ±5%

12.Closed Stainless Steel Surgical Instrument Case carts

Whole Stainless Steel Structure. Highly Dust_Proof,
 Fully Enclosed four 150 mm diameter noiseless Casters. Charging Time 7 H, 8 hours or 30 KM on Battery full charged .Size- 1200 mm x 700 mm x 1400 mm.

13.Dressing Trolley Stainless Steel

Shape-Rectangle
 Material-Stainless Steel
 Dimension-L 710mm x W 460 mm x H 810 mm
 Two SS top with 3 side railing and bottom with 3 side railing.SS Bowl and bucket Matt Finish,
 Steel Grade- SS 304.

14.Medicine Trolley SS Top

Shape- Rectangle
 Material-Stainless Steel
 Grade- SS 316
 Frame work is made up CRCA tube mounted on 10 cm casters.
 Two SS shelves with sides railing on top self and 4 side railing in lower self.

15.SS ECG Machine Trolley

Material- Stainless steel
 Dimension-L 380 mm x W 460 mm x H 915 mm
 25 mm diameter tubular CRECA structure complete stainless steel stand.Four tray with adjustable height attachment. Equipped with four socket extension board and saline rod 1700 mm fixed height.

16.Satainless Steel Fumigation Steriliser.

Power source- Electrical
 Tank Capacity-4 liter
 Material- Stainless Steel
 Voltage-240 Volt.
 The machine should be atomizes liquid in to fog,mist or spray of small droplets, machine should be atomize both water or oil based solution as well as emulsion and dilute suspension of wetttable powder.

LIST OF ITEMS QUOTED**(To be attached with technical bid)**

Sl.No	Item Sl.No as per tender	Specification	Name of the Manufacturer	Product Certification (CE/ISI/US FDA etc.)if yes provide a copy	ISO certified company (if yes provide a copy.	Remarks(Please mention if there is any deviation to quoted specification
1						
2						

PRICE SCHEDULE

ANEXURE-II

Sl.No	Item Sl.No.as per the tender	Name of the Item	Make/Model	Name of the Manufacturer	Rate in (Rs.)/Each Nos or Each Set as per Annexure -I	GST %	Total Unit Cost Including Taxes

N.B: Please provide both softcopy and hardcopy in the price bid.

DECLARATION FORM

I / We _____ having
My / our _____ office at
_____ do declare that I / We have carefully
read all the terms & conditions of tender of the C.D.M. & P.H.O,Bargarh, Orissa for the supply of EIF. I
will abide with all the terms & conditions set forth in the tender paper Reference no. _____.

**I/We do hereby declare I/We have not been de-recognised / black listed by any
State Govt. / Union Territory / Govt. of India / Govt. organisation / Govt. Health
Institutions for supply of Not of Standard Quality(NSQ) items / part-supply / non-supply.**

I/We agree that the Tender Inviting Authority can forfeit the Earnest Money Deposit and
or Security Deposit and blacklist me/us for a period of 3 years if, any information furnished by
us proved to be false at the time of inspection / verification and not complying with the Tender
terms & conditions.

I / We further declare that I / We possess valid manufacturing license / authorised
distributor license bearing No. _____ Valid upto
_____ I / We _____ do hereby declare that I / we
will supply the _____ as per the terms, conditions & specifications of
the tender document. I / we further declare that my / our EMD / performance security will be
forfeited if I / we fail to supply any item after getting order from the purchaser.

Signature of the bidder :

Date :

Name & Address of the Firm: Affidavit before Executive Magistrate / Notary Public.

ANNUAL TURN OVER STATEMENT

The Annual Turnover of M/s _____
_____ who is a manufacturing unit / wholesaler / distributor for the
last three years are given below and certified that the statement is true and correct.

<i>Sl. No.</i>	<i>Year</i>	<i>Turnover in Lakhs / Crores (Rs)</i>
1. 2019 - 2020	-	
2. 2020 – 2021	-	
3. 2021 – 2022	-	

Date: _____ Signature of Auditor/
Place: _____ Chartered Accountant
(Name in Capital)
Registration No.
Seal

NB:

1. This certificate should be supported by figures in PL Account & Income Tax Return.

MANUFACTURER’S AUTHORISATION FORMAT

(in original in case bidder is authorized by manufacturer)

To

The CDM &PHO
Bargarh

Sub: LETTER OF AUTHORISATION.

Ref: Tender Reference No.

Dear Sir,

We _____ who are established and reputed manufacturer’s of _____ (name and description of items offered) having factories at _____ (Address of Factory) do hereby authorize M/s _____

_____ (Address of Factory) do hereby authorize M/s _____

_____ (Name and address of Distributor / Agent) to submit a bid and sign the contract with you against the above referred tender.

We also extend our full quality assurance for the items quoted by M/s _____ as per the terms and conditions in your tender under reference above.

Yours faithfully,

Full Name of the designated person

(Signature with seal)

Contact Number:

Email ID:

Note: This letter of authority should be on the letter head of the manufacturer and should be signed by a person competent and having the power of attorney to bind the manufacturer. It should be included in the bid submitted by the bidder if the bidder is not the manufacturer.