

TENDER DOCUMENT OF PRINTING OF IEC/BCC MATERIALS 2024-25

Tender Call Notice No:64/NHM/Bargarh/Dt:06/02/2024

Terms & Conditions

1. Sealed Quotations are invited from interested/ reputed firms/ agencies having adequate experience in all types of printing item i.e., poster, leaflet, flex, erection of hoardings, Cloth Banner & branding works. The firm/ agency should have valid DIC / MSME, PAN No, AADHAR No, GST registration etc. as detailed mentioned in technical bid of Tender Form (part-1). Photo copy of all documents should be submitted along with bid documents.
2. The tender document should reach in prescribed format to the office of “**Chief District Medical & Public Health Officer, Bargarh, Old District Headquarter Hospital, Bargarh At/Po. Bargarh, Dist.-Bargarh, PIN-768028**” only through Speed Post / Regd. Post / courier on or before **dt:28/02/2024 till 04.00 P.M.** The envelope must be super scribed by “**Tender documents for printing of IEC/BCC materials – 2024-25**”. The tender shall be opened on **Dt.01/03/2024 at 11.00 A.M. at DTU, NHM, Bargarh** in the presence of bidders or their authorized representative.
3. Interested bidders can obtain detailed terms and conditions from the website for taking up this assignment. The bidder can download the tender documents from district website **www.bargarh.nic.in.** (Address of district website).
4. Bid will be submitted in two parts i.e., **Technical Bid (Cover – A)** and **Financial Bid (Cover – B)**. The bidders should give their technical and financial proposal separately in two envelopes and both should be put into third cover which should be super scribed as “**Tender Documents for Printing of IEC/BCC Materials -2024-25**”.
5. The organisation must ensure provision of service in Bargarh as and when required by the authority. The bidder has to keep a clause in affidavit that he agrees to ensure provision of service in Bargarh. Bidder is liable to be black listed with forfeiture of security deposit, if he/she fails to comply or makes deviation in providing service/ delivery of printing materials in time, if so, observed by the competent authority.
6. The bidder should not have any past record of poor performance. The bidder has to submit an affidavit in this regard. The agency who had not supplied materials against the purchase order earlier or executed work order after being finalized as L-1 bidder in the process is not eligible to participate in the tender process. No further arguments in this matter will be entertained.
7. Bidder is required to submit tender documents in the sequence provided in **Technical Bid Cover – A** after assigning annexure no’s to the photo copy of documents submitted otherwise bid submitted will be rejected. Bids received with changes in the formats published will be liable to be rejected. **If any bidder changes the format of either Technical Bid (Cover – A) or Financial Bid (Cover – B) then his bid will be out rightly rejected without assigning any reason thereof.**

8. **Bidder has to quote single rate for a single item in the financial bid. If any bid found with multiple rates for single item, then it will be out rightly rejected without any further arguments.**
9. The organisation should have minimum three Years of experience in all types of printings such as poster, leaflet, flex, Cloth Banner, painting & branding works. Organization will have to produce photo copy of work orders from any Govt. Organisation only. Year of experience will be calculated from the date of first work order received from any Govt. Organisation in relation to printing of materials as detailed in the list of items for printing materials and not from the date of incorporation of the organisation.
10. The annual turnover of the organization must not be less than **Rs. 3,00,000/- (Rupees Three Lakhs Only)** in last financial year. (i.e., 2022-23). (*GST return should be submitted in support of proof for turnover of the organisation*).
11. Organization will have to submit IT return of last 3 financial years. (i.e., for **F.Y-2020-21, 2021-22 & 2022-23**).
12. Bidder will have to submit Demand Draft of **Rs. 500/- (Rupees Five Hundred only)** as tender paper cost (non-refundable) in favour of **ZSS, Non-NRHM Fund, Bargarh** along with bid document.
13. Bid documents must be accompanied with EMD of **Rs.20,000/- (Rupees Twenty Thousand only)** in shape of Demand Draft drawn on any Nationalized Bank in favour of **ZSS, Non-NRHM Fund, Bargarh** payable at **Bargarh**. Bid documents without EMD will be summarily rejected. EMD of unsuccessful bidders will be returned without interest on finalization of tender. EMD of successful bidder will be retained as Security Deposit & will be refunded without interest only after completion of one year from the date of finalisation of tender. Security deposit is liable to be forfeited if bidder violates or fails to comply with the terms and conditions of the tender.
14. **The organization will have to submit a Single Affidavit with following clauses: -**
 - a. It has not been blacklisted by any Government Organization. The organization does not have any legal suit / criminal case pending against it for violation of Income Tax Act, GST or any other law of India.
 - b. That the organization agrees to abide by all terms & conditions of the tender.
 - c. That the organization agrees to ensure provision of service in Bargarh.
 - d. That the organization had never refused to supply any item after receipt of work order from this office for any reason.
15. All documents submitted must be signed by the authorised signatory of the organisation with seal.
16. Quantity proposed to be printed is an estimate, only on the basis of past experience and not the actual quantity to be printed. So, actual quantity of materials to be printed may vary. Printing work will be done throughout the year in phased manner and not in a single works contract during the valid period of contact as per requirement.

17. The organization will quote prices exclusive of all taxes & charges. The CDM & PHO, Bargarh will have no liability regarding transportation, loading, unloading of materials and all material ordered shall be delivered at the designated place in good condition and fixing the material at institution level as per order. The defective or damaged printed materials if any have to be replaced by the supplying agency. The delivery must be actual as per quantity ordered which will be verified after delivery and no process damage will be entertained.
18. The order for change of flex/fabric in hoardings in the district & block must be completed within 5 to 7 days after issue of work order.
19. If there is any contradiction between price quoted in figure and word then price quoted in word shall prevail over price quoted in figure.
20. **Conditional bids are liable to be rejected.** In the event of acceptance, CDM & PHO, Bargarh decision will be final. Bids which are not as per required specifications will not be considered.
21. The CDM & PHO, Bargarh will not pay any advance payment to the organisation. The organisation will have to carry out the entire job on its own and the amount will be paid only after satisfactory completion of the job and submission of bill in this regard. The approved agency shall have to submit the photographs & certificates from the competent authority after completion of works i.e. wall painting, change of flex at hoardings, mounting of IEC materials etc. at block level & its peripheral area for release of payment.
22. The bidders have to submit the sample copies of different specifications of papers (duly signed & sealed) to be used in printing materials (**wherever required**) as mentioned in **Annexure – A**. The cost towards the testing of samples will be borne by the successful bidder if any. The sample papers should be duly signed & sealed by the authorized signatory of the applying firm.
23. Selection of the item will be on the basis of quality of sample finalised by the committee members wherever applicable.
24. Bidders are not allowed to check bid documents of another bidder in any circumstances except sample papers submitted by bidders.
25. Under no circumstance, the organization shall not appoint any sub-contractor or sublease the contract. If it is found that the organization has violated these conditions the contract will be terminated forthwith without any notice and security deposited by the organization shall be forfeited.
26. **The rate approved will be valid for one year from the date of finalisation of tender.** The successful bidder is required to provide printing materials as per requirements placed by any of the wings of CDM & PHO, Bargarh during the valid period of tender.
27. Only bidder himself or his authorised representative is allowed to remain present during opening of the tender. No authorised representative is allowed without proper authorisation from bidder.
28. The CDM & PHO, Bargarh reserves the right to accept or reject all or any of the bid documents without assigning any reasons thereof.
29. All legal disputes are subject to the jurisdiction of Bargarh Court only.

**Chief District Medical & Public Health Officer
Bargarh**

Cover – A
Technical Bid

Sl No	Particulars	(Clearly mention complete details required, don't mention only yes / no or annexure no here)	Annexure No
1.	Name of the Organisation		1
2.	Address of the Organisation		
3.	Name of the Authorised Signatory. (IN CAPITAL LETTER)		
4.	Authorisation & Specimen signature of the authorised signatory.		
5.	Telephone No/ Mobile No of the Authorised Signatory/ Organisation.		
6.	DIC / MSME (<i>Attach photo copy of DIC / MSME registration certificate</i>)		4
7.	PAN No of the organisation / Proprietor / Managing Partner /Director of the organisation (Attach photo copy of PAN Card)		5
8.	AADHAR No of Proprietor /Managing Partner /Director of the organisation		6
9.	GST registration No (Attach photo copy of registration certificate)		7
10.	The organisation must have three Years of experience in all types of printings such as poster, leaflet, flex, erection of hoardings & branding works. (Attach photo copies of work orders received from any Govt. organisation on printing materials).		8
11.	The annual turnover of the organization must not be less than Rs. 3,00,000/- (Rupees Three Lakhs Only) in last financial year. (i.e. 2022-23). <i>GST return should be submitted in support of proof for turnover of the organisation</i>)		9
12.	Organization will have to submit IT return of last 3 financial years. (i.e. for F.Y- 2020-21, 2021-22 & 2022-23)		10

13.	<p><u>The organization will have to submit Single Affidavit with following clauses:-</u></p> <ol style="list-style-type: none"> 1. It has not been blacklisted by any Government Organization. The organization does not have any legal suit / criminal case pending against it for violation of IT, Service tax, GST or any other law. 2. That the organization agrees to abide by all terms & conditions of tender. 3. That the organization agrees to ensure provision of service in Bargarh. 4. That the organization had never refused to supply any item after receipt of work order from this office for any reason. 		
14.	Tender paper cost in shape of Demand Draft of Rs. 500/- (Rupees Five hundred only)	Details of Demand Draft along with details of Drawee Bank	
		Draft No:	
		Name of the Bank :	
		Branch address:	
		Amount (Rs.):	
15.	EMD in shape of Demand Draft of Rs.20,000/- (Rupees Twenty Thousands only)	Details of Demand Draft along with details of Drawee Bank	
		Draft No:	
		Name of the Bank :	
		Branch address:	
		Amount (Rs.):	
16.	Whether all documents submitted signed by the authorised signatory of the organisation (Yes / No)		

DECLARATION

I / We hereby declare that, the terms and conditions, specification etc. given with the tender notice have been read carefully and it is acceptable to me/us and that the information furnished above is full and correct to the best of my / our knowledge. I/ We understand that in case of any deviation in the above statement at any state, the Firm/Agency will be blacklisted and will not have any dealing with it in future.

Place :

Date :

Seal & Signature of authorised Signatory

Mobile No:

IEC/BCC ITEMS LIST

Sl No	Name of the Item	Specification	Unit of Measure	Estimated Quantity
1	Swasthya Kantha Calendar	Paper Size – 75cm X 50cm, Paper quality – 170 GSM Art Paper, Process – Multi colour (4 colour) printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right.	Per Calendar	1500 Nos.
2	IEC Calendar for School	Size of each sheet of calendar – 91 cm X 58.5 cm, No of sheet in each calendar – 10 sheets, Paper to be used :- 220 GSM Art Paper, Colour :- Multi colour, BINDING :- Each sheet both side Glossy lamination, Top wireo with hanger, Calendar is packed with a strong Polythene bag/Envelope size – 24” X 37”	Per Calendar	1000 Nos.
3	Poster	Poster Size:- 44 cm X 56cm, Paper quality :- 170 GSM Art paper, Process :- Multi colour printing.	Per Poster	5000 Nos.
4	Poster	Poster Size:- 44 cm X 56cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing.	Per Poster	5000 Nos.
5	Poster	Poster Size:- 44 cm X 56cm, Paper quality :- 170 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right	Per Poster	5000 Nos.
6	Poster	Poster Size:- 44 cm X 56cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right.	Per Poster	5000 Nos.
7	Poster	Poster Size:- 58.5 cm X 91cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing,	Per Poster	5000 Nos.
8	Leaflet	Paper size- 22 cm X 28 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Single side Printing	Per Leaflet	50000 Nos.
9	Leaflet	Paper size- 22 cm X 28 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet	50000 Nos.
10	Leaflet	Paper size- 22 cm X 28 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Single side Printing	Per Leaflet	50000 Nos.
11	Leaflet	Paper size- 22 cm X 28 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet	50000 Nos.
12	Leaflet	Paper size- 15.5 cm X 21.8 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour single side Printing	Per Leaflet	50000 Nos.
13	Leaflet	Paper size- 15.5 cm X 21.8 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet	50000 Nos.
14	Leaflet	Paper size- 15.5 cm X 21.8 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour single side Printing	Per Leaflet	50000 Nos.
15	Leaflet	Paper size- 15.5 cm X 21.8 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet	50000 Nos.
16	Folder	Paper Size- 44 cm X 28 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per Folder	500 Nos.

17	Folder	Paper Size- 44 cm X 28 cm, Paper quality- 170 GSM Art paper, Multi-colour both side printing	Per Folder	500 Nos.
18	Folder	Paper Size- 36 cm X 24.5 cm, Paper quality- 220 GSM Art paper, Multi-colour both side printing	Per Folder	500 Nos.
19	Folder	Paper Size- 36 cm X 24.5 cm, Paper quality- 170 GSM Art paper, Multi-colour both side printing	Per Folder	500 Nos.
20	Folder	Paper Size- 28 cm X 14 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per Folder	500 Nos.
21	Folder	Paper Size- 28 cm X 14 cm, Paper quality- 170 GSM Art paper, Multi colour both side printing	Per Folder	500 Nos.
22	Folder	Paper Size- 29.7 cm X 21 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per Folder	500 Nos.
23	Folder	Paper Size- 29.7 cm X 21 cm, Paper quality- 170 GSM Art paper, Multi colour both side printing	Per Folder	500 Nos.
24	Patient Treatment Card/Booklet	Paper size – 28cmX22cm, Total 6 sheets, Cover page- 220 GSM Art paper, Inner page-90 GSM Art paper, Printing process: Multicolour both side printing, Post Process: Single fold & stappling in the middle of the booklet page wise, resulting to 24 pages of 14cm X 22 cm booklet.	Per Booklet	2000 Nos.
25	Booklet	Paper Size-28 cm X 21 cm, Total – 10 sheets multi colour both side print, Cover page -220 GSM Art paper, Inside page – 90 GSM brightening white Maplittho paper, Post Process:- single fold and stappling in the middle of the booklet	Per Booklet	500 Nos.
26	Booklet	Paper Size-42 cm X 27 cm, Total – 10 sheets multi colour both side print, Cover page -220 GSM Art paper, Inside page – 90 GSM brightening white Maplittho paper, Post Process:- single fold and stappling in the middle of the booklet	Per Booklet	500 Nos.
27	Sterilization operation Consent Form/ Booklet	Paper size – 44cmX28cm, Total pages - 4 sheets, Paper quality : 60 GSM Maplittho paper, white bright, Black-White both side printing, Post Process: Single fold & stappling in the middle of the booklet page wise, resulting to 16 pages of 22cm X 28 cm booklet.	Per Booklet	3000 Nos.
28	ASHA Incentive claim voucher pad for 13 activities	Paper size – A4, Total no of pages – 36 (32 inner pages + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad	1500 Nos.
29	ASHA Incentive claim voucher pad for rest 40 activity	Paper size – A4, Total no of pages – 68 (64 inner pages + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad	1500 Nos.
30	ASHA Grade card (Mo Dakhyata)	Paper size – 1/4 demy, Paper quality – 160 GSM drawing sheet, single side multicolour offset printing	Per Card	1500 Nos.

31	Sector Meeting Register	Paper size – 30cm*20cm, Total pages- 88 (84 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- 1/4 demy, inner printing- black & white, Cover page- size- 1/4 demy, multicolour printing, Post process:- binding with hard card board and cloth	Per Register	100 Nos.
32	HBNC Format	Unit: Booklet, size- 1/4 demy, total pages-12 paper quality- 80 GSM maplitho paper, Brightness-77 (minimum)both side printing of all pages Post Process- binding centre stitching with perforation of last page	Per Piece	1000 Nos.
33	ASHA Incentive Voucher Book	50 sheet voucher book with single side printing, Paper quality – 60-70 GSM, Paper size – 10.5 X 29.5 cm, Post process – Binding with 220 GSM paper on the front & back cover of the book	Per Piece	1000 Nos.
34	Hand Book for vaccine & cold chain handlers	Cover Page-240 GSM Art paper & Inner page- 170 GSM Art paper, Paper size 28 cm X 21.5 cm, Total sheet – 120 sheet, Multi colour printing both side, Post Process- Binding	Per Piece	50 Nos.
35	SNCU Docket	Paper size – 30.5 cm X 48 cm, Paper quality – 220 GSM, Single fold with inside pocketing, Pocket size – 11 cm X 24 cm in 220 GSM paper, Printing Process – Multi colour single side print on pocket & docket.	Per Docket	1000 Nos.
36	Printing of Forms Black & White	Paper size- A4, Quality -60-70 GSM Single side B/W print	Per Sheet	5000 Nos.
37		Paper size- A4, Quality -60-70 GSM Both side B/W print print	Per Sheet	5000 Nos.
38		Paper size- A3, Quality -60-70 GSM Single side B/W print	Per Sheet	5000 Nos.
39		Paper size- A3, Quality -60-70 GSM Both side B/W print	Per Sheet	5000 Nos.
40		Paper size- A2, Quality -60-70 GSM Single side B/W print	Per Sheet	5000 Nos.
41		Paper size- A2, Quality -60-70 GSM Both side B/W print	Per Sheet	5000 Nos.
42		Paper size- Letal- FS, Quality -60-70 GSM Single side B/W print	Per Sheet	5000 Nos.
43		Paper size- Legal- FS, Quality -60-70 GSM Both side B/W print	Per Sheet	5000 Nos.
44	Printing of Forms Multi colour	Paper size- A4, Quality – 130 GSM Single side print	Per Sheet	2000 Nos.
45		Paper size- A4, Quality – 130 GSM Both side print	Per Sheet	2000 Nos.
46		Paper size- A3, Quality – 130 GSM Single side print	Per Sheet	2000 Nos.
47		Paper size- A3, Quality – 130 GSM Both side print	Per Sheet	2000 Nos.
48		Paper size- A2, Quality – 130 GSM Single side print	Per Sheet	2000 Nos.
49		Paper size- A2, Quality – 130 GSM Both side print	Per Sheet	2000 Nos.
50	Report Pad	Paper size – 14.5 cm X 21 cm, 70 GSM, 100 sheet single side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	1000 Nos.

51	Report Pad	Paper size – 14.5 cm X 21 cm, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	1000 Nos.
52	Report Pad	Paper size – 29.5 cm X 21 cm or A-4, 70 GSM, 100 sheet single side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	1000 Nos.
53	Report Pad	Paper size – 29.5 cm X 21 cm or A-4, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	1000 Nos.
54	Report Pad	Paper size – A3, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	1000 Nos.
55	Report Pad	Paper size – A3, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	1000 Nos.
56	Report Pad	Paper size – A2, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	1000 Nos.
57	Report Pad	Paper size – A2, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	1000 Nos.
58	OPD Register/ IPD Register	Paper size – 42 cm X 56 cm, Paper quality – 60-70 GSM, 200 Sheet, Both side B/W printing, Post Process – single fold with centre Thread Stitching	Per Register	200 Nos.
59	Labour Room Register	Paper size – 36 cm X 48 cm, Paper quality – 60-70 GSM, 200 Sheet, Both side B/W printing, Post Process – Left side Thread stitching & binding Top cover – 220 GSM printed & bottom card board.	Per Register	50 Nos.
60	Malaria Register	Paper size – A3, Paper quality – 60-70 GSM, 100 Pages, Single side B/W printing, Post Process – Left side binding with card board at Bottom and 220 GSM paper on Top cover with naming & tearing mark.	Per Register	100 Nos.
61	LQAS Booklet	Unit : Booklet , Size – 42cm X 28cm , Paper Quality : 60 GSM, Cover Sheet - 1 Sheet with bothside 9preferably9 printing , Inner page 4 sheet with both side B/W printing. Post Process: single fold and double staple in the middle of the booklet resulting of final 20 pages of 21cm X 28cm.	Booklet	2000 Nos.

62	Patient Referral cards at PHC Level	Unit- Book let, No of sheets :_ 50 (50 sheets marked as original + 50 sheets marked as duplicate) with one carbon sheet in each booklet. Printing side- Black, One sheet of booklet shall be printed as “Original” and the next sheet shall be printed as “Duplicate” (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper Size:- 1/4 demy, Paper – Original Sheet- 80 GSM Maplitho, Brightness- 80 Minimum, Duplicate Sheet (Yellow Colour) – 54 GSM Maplitho), Binding Type- Top pad binding with stapling with 1/2 pound hard board on the back side, Cover page- 1 cover page on the front (80 GSM Maplitho Single sided Black Printing as Patient Referral Card – PHC/Sub-Centre) Perforation: Perforation at the top of the Pad Binding (In original sheet of the booklet only)	Per Piece	500 Nos.
63	Flip Book	Unit : Flip Book , Size – 21cm X 29.5cm Total No of Flip Sheet - 15 Sheet, Paper – (Flip Sheets) :- 300 GSM Art paper (Gloss Finish), Brightness:- 80 Minimum, Printing (Flip Sheets) Multi colour both side offset printing, Lamination:- Both side lamination of the flip sheets, Binding:- Wiro Top binding with 20 mm Wiro, Flip Stand cover:- Flip stand cover (1 1/2 pound mill board: 2 nos connected with with each other with base having folding arrangement for hand held as well as table top position) having white Art paper 130 GSM, brightness- 80 minimum pasting with Wiro binding.	Per Book	500 Nos.
64	Flip Book	Unit : Flip Book , Size – 15cm X 21cm, Total No of Flip Sheet - 15 Sheet, Paper – (Flip Sheets) :- 300 GSM Art paper (Gloss Finish), Brightness:- 80 Minimum, Printing (Flip Sheets) Multi colour both side offset printing, Lamination:- Both side lamination of the flip sheets, Binding:- Wiro Top binding with 20 mm Wiro, Flip Stand cover:- Flip stand cover (1 1/2 pound mill board: 2 nos connected with with each other with base having folding arrangement for hand held as well as table top position) having white Art paper 130 GSM, brightness- 80 minimum pasting with Wiro binding.	Per Book	500 Nos.
65	NCD Drugs Paper Pouch	Unit :- Envelope, Size :- 4.5” X 9”, Paper quality- 90 GSM Maplitho Paper, Brightness :- 77 (Minimum), Multi colour Printing	Per Envelope	30,000 Nos.
66	Case Record & Information Sheet for NTCP	Unit :- Book let, Size :- 1/4 Demy, Total No. of Pages :- 12, Paper Quality:- 8 pages- 80 GSM Maplitho Paper, Brightness- 77 (Minimum) 4 pages – 90 GSM Maplitho Paper, Brightness- 77 (Minimum). Printing :- 8 pages- Both side Single Colour Printing & 4 pages – Single side Multicolour Printing, Binding- centre stitching, Perforation_ Perforation at middle of 9 th page and side with border at 11 th page (in 90 GSM Maplitho paper)	Per Booklet	500 Nos.
67	Wall Hanging Calendar	Paper Size – 30 cm X 45 cm, Paper quality – 170 GSM Art paper, Process – Multi colour offset both side printing, Post Process:- Binding- Wire-O binding including paper, Total 8 pages per calendar.	Per Calendar	500 Nos.

68	Glow Sign Board	Material – Star back lit Flex, Multi-colour printing & fixing on the Iron frame Box – 18 gauge GI sheet, Back Lid print including electrical quality lighting	Per Square Feet	500 Sq. ft.
69	Carbonized Prescription Pad	Specifications of prescription pad (without carbon paper) Single side :- 15 cm X 21 cm (11refera). Each set containing two sheets – first sheet of self-carbon material of 80 GSM basis weight (white) suitable for writing an second sheet of self-carbon writing & printing paper 60 GSM Maplitho (yellow), which should carry the impression of writing on the first sheet. The paper sheets shall have printed matter in single colour. Each prescription pad shall contain 100 sets with perforations/adhesive at the pad for easy tear off. Each pad should be tied up with one thick paper board (not less then 300 GSM) of the same size at the pad. The thick paper board shall be used for placing between the prescriptions sets so that while writing a prescription on one set the impression does not go into the next set.	Per Pad	500 Nos.
70	Lab Reporting Pad	Paper Size :- 15 cm X 21 cm (11refera.). The paper sheets shall have printed matter in single colour. Each prescription pad shall contain 100 sheet with perforations/ adhesive at the pad for easy tear off. Each pad should be tied up with one thick paper board on face & bottom end (Not less than 300 GSM) of the same size.	Per Pad	500 Nos.
71	Printed Envelope for X-Ray film	Printing of bright Yellow colour envelope for X-Ray film free size- Film size 10 inch X 12 inch, Paper quality-brightened paper of 130 GSM	Per Envelope	2000 Nos.
72	Printed Envelope for X-Ray film	Printing of bright Yellow colour envelope for X-Ray film free size- Film size 12 inch X 15 inch, Paper quality-brightened paper of 130 GSM	Per Envelope	2000 Nos.
73	White Envelope	Envelope size – 11 cm X 23 cm, Paper quality – 60 GSM,	Per Envelope	5000 Nos.
74	Printed Medicine Pouch/ Envelope	Multi-colour printed medicine Pouch/Envelope for dispensing medicines, Size 10 cm X 18 cm, Paper quality-70 GSM	Per Pouch	20000 Nos.
75	Patient File	Open Size – 56 cm X 35 cm, Close size – 28 cm X 35 cm, Single fold, Printable area – front page single side. Paper quality -170 GSM brightening yellow colour paper, Post Process: i-led punching at the top left corner of the file	Per File	5000 Nos.
76	Office Folder File	File size:- 55 cm X 35 cm, Paper quality – 400 GSM laminated, single side print, Inner side cloth patching, Post Process:- 2 fold, 1 st fold at 25 cm from left, 2 nd fold 5 cm from right, iled punching at the top left corner of the folder	Per File	2000 Nos.
77	Paper Sticker	Sticker size – 14 cm X 22cm, Paper quality – 90 GSM Sticker Paper with multi-colour printing.	Per Sticker	10,000 Nos.
78	Paper Sticker	Sticker size – 28 cm X 44cm, Paper quality – 90 GSM Sticker Paper with multi-colour printing.	Per Sticker	10,000 Nos.
79	Paper Sticker	Sticker size – 44 cm X 56 cm, Paper quality – 90 GSM Sticker Paper with multi-colour printing.	Per Sticker	10,000 Nos.
80	Vinyl Sticker	Eco solvent vinyl sticker 130 GSM	Per Square Feet	2000 Sq. ft.

81	Radium Sticker	Radium sticker 250 GSM	Per Square Feet	1000 Sq. ft.
82	Exhibit/Standee	Multi-colour flex printing and pasting in 1 inch iron square bar frame with supporting bar and stand.	Per Square Feet	5000 Sq. ft.
83	Printing of Flex Banner	Flex banner printing, Quality: - 240 GSM & four punch holes in each corner of the banner	Per Square Feet	5000 Sq. ft.
84	Printing of Fabric Banner	Fabric banner printing, Quality: - 240 GSM & four punch holes in each corner of the banner	Per Square Feet	5000 Sq. ft.
85	Change of Flex in Hoarding	Multi-colour CMYK (4 colour) flex printing in 250 GSM STAR flex & Fitting on the hoardings of Health institutions at Block and District	Per Square Feet	10,000 Sq. ft.
86	Change of Fabric Cloth in Hoarding	Multi-colour CMYK (4 colour) fabric cloth printing in 250 GSM STAR flex & Fitting on the hoardings of Health institutions at Block and District	Per Square Feet	10,000 Sq. ft.
87	Vehicle Decoration (TATA ACE)	Printing of multi-colour flex banner and pasting with 1 inches iron bar frame in all 4 sides in temple model with flower decoration (Vehicle both Side- 8ftx6ft, Vehicle back side- 5ftx6ft, vehicle front- 5ftx2.5ft , top 5ftx2.5ft & top side 10ft long temple model) (Prototype of vehicle attached in Annexure – I)	Per Vehicle	10 Nos.
88	Wall Painting at Village & Health Institutions	Multi-colour wall painting to be done after double coating of good quality white enamel paint over wall there after designing with Art work and letter (Odia & English). Paint of reputed manufacturer to be used.	Per Square Feet	10,000 Sq. ft.
89	Branding & Mounting of IEC materials at Health Institutions	Materials to be used:- 6 mm thickness Sun Board Printing Process- Eco Solvent Vinyl Print and mounting with steel stud in 4 corners at Health Institutions of Bargarh District (Including fitting charges)	Per Square Feet	2000 Sq. ft.
90	Sun Board	Materials to be used:- 6 mm thickness Sun Board Printing Process- Eco Solvent Vinyl Print	Per Square Feet	2000 Sq. ft.
91	Acrylic Signage	Base Sheet -4 mm thickness Acrylic sheet Printing Process – Radium Sticker on board	Per Square Feet	1000 Sq. ft.
92	Acrylic Signage	Base Sheet -4 mm thickness Acrylic sheet Printing Process – Eco solvent Vinyl Sticker on board	Per Square Feet	1000 Sq. ft.
93	White Board	White Board with aluminium frame, best quality white surface material to be used for training purpose	Per Square Feet	1000 Sq. ft.
94	White Board	White Board with aluminium frame printed with Eco Solvent Vinyl sticker, best quality white surface material to be used	Per Square Feet	1000 Sq. ft.
95	Directional Steel Signage double stand	Material to be used:- JOIST :-2 inches diameter round/square steel pipe of size – 11 ft height with top cap – 2 nos Display area: 4 ft x 3 ft in 1 inch steel square bar and top cover steel sheet of 16 gauge to be fitted with joist, display area with both side radium sticker (Inclusive of installation charges at health institutions in district) below ground 2 ft, Structure of hoarding will be of 5 feet height from ground level.	Per Piece	50 Nos.

96	Directional Steel Signage single stand	Material to be used:- JOIST :-2 inches diameter round/square steel pipe of size – 8 ft height with top cap – 1 no. Display area: 1.5 ft x 2 ft in 1 inch steel square bar and top cover steel sheet of 16 gauge to be fitted with joist, display area with both side radium stickering (Inclusive of installation charges at health institutions in district) below ground 2 ft, Structure of hoarding will be of 4 feet height from ground level.	Per Piece	100 Nos.
97	CANOPY	Canopy size – 6ft X 6 ft X 7 ft size (Photo attached – Annex II) Including supply of Fabric Banner for canopy as per size mentioned with fitting. (Prototype of Hoarding is attached in Annexure –II)	Per Canopy	5 Nos.
98	Erection of Large Hoarding at strategic locations in the District & Block (Including all cost of Installation)	<u>Specification & Structure (Attached Photo)</u> Hoarding size (Display area) 16 ft X 8 ft, Good Quality of surface angle frame to be used. <ul style="list-style-type: none"> ● Joist - 5 inches X 2.5 inches ● Angle - 3 inches X 3 inches ● Angle - 2 inches X 2 inches ● 3 feet deep concrete on each pole of the board along with supporting iron angle. ● Frame should be made from Iron Angle ● 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding ● Fabric cloth should be pocketed & fixed by iron pipes & GI Wire ● Structure of the hoarding will be of 5 feet height from the ground level. (Prototype of Hoarding is attached in Annexure –III) 	Per Hoarding	12 Nos.
99	Erection of Mini Hoarding at strategic locations in the District & Block (Including all cost of Installation)	<u>Specification & Structure</u> Size of the Display area in hoarding – 6 ft X 3 ft Display material – Preferably 18 gauge printed or painted Tin Plate. Total Height from inside the ground – 10 ft L Iron angle (2 inches L iron angle should be used) ● Base (inside ground) 2 feet inside cement concrete ● Above ground (ground to top) – 8 ft. ● Length – 6 ft iron angle (2 inches L Iron angle should be used) ● Mid Joist Bar to support display material – 3 ft L iron angle (2 inch L iron angle should be used) (Prototype of Hoarding is attached in Annexure –IV)	Per Hoarding	25 Nos.
100	Erection of Mini Hoarding at strategic locations in the District & Block (Including all cost of Installation)	<u>Specification & Structure</u> Size of Display area in the hoarding 4ft X 3 ft. Display material – 13referably 18 gauge printed or painted Tin Plate. Total Height from inside the ground – 10 ft L Iron angle (2” L Iron angle should be used) ● Base (Inside ground) -2 ft inside cement concrete ● Above Ground (ground to top) 8 ft ● Length – 4 ft L iron angle (2” L Iron angle should be used) ● Mid Joist bar to support display material – 3 ft L Iron angle (2” L Iron angle should be used) (Prototype of Hoarding is attached in Annexure –IV)	Per Hoarding	25 Nos.
101	Emergency LED sign board	Material – Acrylic, Designed type customised, Voltage-240 V, Frequency- 50 Hz, Installation wall mounting, Multi colour letter, at least clear visibility from 200 meters, Water proof, Maintenance warranty- 2 years.	Per sq. ft.	200 Sq. ft.

102	Room Signage	P-Shape, wall hanging signage, signage replaceable when needed, Material to be used – 1 inch Steel square bar, display material:- 4 mm Acrylic sheet inside the frame with radium stickering both side. Display area size – 18” X 9”	Per Piece	100 Nos.
103	MCP Card	Paper size -27 cm x 34 cm, Paper quality – 220 GSM Art Paper, Total Pages – 5 sheets, Multi-colour printing both side, Post Process:- Single middle fold and to be stapled (3 nos) in the middle, resulting 40 pages finally	Per Card	5000 Nos.
104	Welcome Board of MAS	MAS Welcome Board: 2 ft X 1 ft size Printed 1mm thick tin sheet or 1 mm thick Tin sheet pasted with Matt laminated printed vinyl for longevity with frame of 1”x1” L angle MS rod fixed with 2 legs 2”x2” L angle MS rod of height 4.5 ft out of which 1ft to be inside ground with concrete reinforcements. All fixing of the display board should be done by applying welding for strength and longevity. (Prototype of Hoarding is attached in Annexure –V)	Per Piece	38 Nos.
105	Report Pad	Paper size – FS Ledger paper, 100 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	50 Nos.
106	Report Pad	Paper size – 32 x 20 cm, 100 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad	100 Nos.
107	DAMaN Register	10 pages both side with 300 GSM cover, A3 Size	Per Register	50 nos.
108	M/M1/M4/SSLR/SSMR Register	Black & white with hard Cover-300 GSM containing 50 pages, A3 Size	Per Register	1500 nos.
109	Filaria/M3 Register	Black & white with hard Cover-300 GSM containing 50 pages, A4 Size	Per Register	100 nos.
110	Pocket IEC Manual (Flyer)	A5 size, 220 GSM Art paper, Printing process: Multicolour both side printing, Post Process: Folded.	Per Manual	400 nos.
111	Flipbook for MAS, ASHA & Other FLWs	Size : 30 cm X 20 cm Pages : 50 pages (25 sheets) (Tentative) Paper : 300 GSM Art paper Printing: Multi colour Binding: - Wire-O binding - Inner pages both side glossy lamination Table Stand: 28 no. mill board with 130 GSM art paper cover pasting	Per Flipbook	160 nos.
112	Printing of Health Calendar with lamination	Size- 11.5 inch X 18 inch (Half Demy) b. Paper – 130 GSM Art Paper c. Process – Multicolour offset printing d. Binding – Wire-O binding including hanger e. No of sheets: 7 sheets (14 pages) both side printing f. Lamination: 8 pages glossy lamination	Per Calendar	1050 nos.
113	Printing of Health Calendar without lamination	Size- 11.5 inch X 18 inch (Half Demy) b. Paper – 130 GSM Art Paper c. Process – Multicolour offset printing d. Binding – Wire-O binding including hanger e. No of sheets: 7 sheets (14 pages) both side printing	Per Calendar	1050 nos.
114	Dynamic Steel/ Aluminium frame wide base Standee	Size : 5ft X 3ft or 6ft X 3ft Frame: Aluminium frame with wide base (reusable) Multi Colour fabric media printing with mounting	Per standee	4 nos.
115	Retro signage for UHND & RI Points	Board Size:1.5ft height x1ft Width Providing, fitting, fixing up signages using upper high efficiency full cube Retro-reflective sheeting of white	Per Sq. ft	64 nos.

		colour bonded on to 2 mm tin sheet over which alphabets and numerical are printed using OEM matched component inks and UV laminated with OEM approved over laminates. (Prototype of Hoarding is attached in Annexure –VI)		
116	Installation of Retro-Hoarding @ Rs.20,000/- per Hoarding	Board Size:4ft height x3ft Width Providing, fitting, fixing up informative boards using upper high efficiency full cube Retro-reflective sheeting of white colour bonded on to 4mm aluminium sheet / ACP (0.25 +3.50+0.25-pdvh coated) over which alphabets and numerical are printed using OEM matched component inks and UV laminated with OEM approved over laminates (covers 3 years warranty from the date of manufacturing on colour fading , peel off) The board shall be provided with frame made out of 202 grade stainless pipes shall be mounted on two vertical posts made out of 50mm NB stainless pipe as have been installed including concreting / reveling reinforcement etc. The height of this post should be 10ft in which 1.5ft under the ground, rest will visible above of the ground. Fixing of the board including cost of the materials, conveyance, labour, transportation etc. required for the work. (Prototype of Hoarding is attached in Annexure – VII)	Per hoarding	2 nos.
117	Branding of vehicle	With Eco solvent printing on vinyl substance with stickering provision for sharper image quality. Multi colour stickering to be made as per sample graphics provided.	Per sq. ft.	24 nos.
118	Register	Paper size – 30cmX20cm, Total pages- 150 (146 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- 1/4 demy, inner printing- black & white, Cover page- size- 1/4 demy, multicolour printing, Post process:- binding with hard card board and cloth	Per Register	100 Nos.
119	Register	Paper size – 30cmX20cm, Total pages- 200 (196 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- 1/4 demy, inner printing- black & white, Cover page- size- 1/4 demy, multicolour printing, Post process:- binding with hard card board and cloth	Per Register	100 Nos.
120	Certificate	Paper size-A4, Paper quality 220 GSM, Multi colour printing	Per Certificate	1000 nos.
121	Stickering	Radium Stickering	Per sq. ft.	1000 nos.
122	Stickering	Vinyl Stickering	Per sq. ft.	1000 nos.
123	Receipt Book	22 cm X 14 cm, Duplicate with Receipt Number and Cover Binding, Total pages=100 sheet (50 original + 50 duplicate), Paper quality –70 GSM	Per book	200 nos.
124	Challan Book	19 cm X 22 cm, Duplicate with Serial Number and book number, Cover Binding, Total pages=100 sheet (50 original + 50 duplicate), Paper quality –70 GSM	Per book	200 nos.
125	HBYC Pad	Paper size – A4, Total no of pages – 34 (15 inner pages original (white paper) and 15 inner pages duplicate (yellow paper) + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process-Binding	Per Pad	1500 nos.
126	CBAC Form	Paper size- A4, Quality -90 GSM Both side B/W print	Per Sheet	5,00,000 nos.
127	EPS Training Module Book	Paper size – 32 cm X 24 cm, Total no of pages – 54 (50 inner pages (Black & white both side printing) + 4 cover pages(Multi colour) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per book	3000 nos.

128	EPS Training Module Book	Paper size – 32 cm X 24 cm, Total no of pages – 74 (70 inner pages (Black & white both side printing) + 4 cover pages(Multi colour) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process-Binding	Per book	3000 nos.
128	Album of RBSK	Success Story (Children under RBSK)- Multi Colour Printing on photo paper, Size-A4 size	Per Copy	100 nos.
129	Patient In door & Outdoor Register	Paper size - 55 cm X 39.5 cm, Both side landscape printing, Paper quality - 40- 50 GSM, Post Process :- Landscape binding with 170 GSM paper on the top hand and hard card board on the bottom end of the register.	Per register	100 nos.
130	Invitation Card	Paper size - 14 cm X 22 cm, Paper quality - 70 GSM Art paper, Both side multi-colour printing	Per card	100 nos.
131	Identity Card	10 cm X 6 cm, Multi colour printing, plastic cards, thickness of card is 0.030 inches along with ribbon printed with Dept name & logo	Per Card	200 nos.
132	Badge	4 cm diameter (220 GSM Art paper) & outer ring with Ribbon	Per Badge	100 nos.
133	ABHA Card	12 cm X 9 cm (220 GSM Art Paper)	Per card	1000 nos.
134	Patient Treatment Card	Paper Size- A4, Paper quality- 220 GSM drawing Sheet, both side printing	Per card	6000 Pcs.
135	Patient Identity Card	Paper Size- A4 ½ , Paper quality- 220 GSM drawing Sheet, both side printing	Per card	3000 Pcs.
136	STS Checklist/PHC Reporting form	Paper Size- A4 ,70 GSM, 100 Sheet both side B/W print, post process: Thread stitching & binding with tearing mark, Top cover 220 GSM printed & bottom card board	Per checklist	200 Pcs.
137	Referral Slip/TB Champion form	Paper Size- A4 , 70 GSM, 100 Sheet single side B/W print, post process: Thread stitching & binding with tearing mark, Top cover 220 GSM printed & bottom card board	Per slip	200 Pcs.
138	TB Notification Register	Paper Size-36 cm x 48 cm, Paper quality 60-70 GSM, 200 Sheet both side B/W print, post process: left side thread stitching & binding top cover 220 GSM printed and bottom card board	Per register	315 Pcs.
139	Drug/Lab Stock Register	Paper Size – 32 x 20 cm, 100 GSM, 100 Sheet both side B/W print, post processes: post process: left side thread stitching & binding top cover 220 GSM printed and bottom card board	Per register	300 Pcs.
140	TB Register	Paper Size – FS ledger paper, 100 GSM, 100 Sheet both side B/W print, post processes: post process: left side thread stitching & binding top cover 220 GSM printed and bottom card board	Per register	150 Pcs.
141	Gentamicin Treatment Card	Size: 17 cm x 28 cm Printing type: Both sided multi-colours offset printing Paper quality: 250 GSM Art paper (Matt Finish) Brightness: 80 (Min)	Per card	5000 pcs.
142	HBVC Booklet	No. of Sheets: 30 (15 Sheets marked as Original + 15 Sheets marked as Duplicate) with one carbon sheet in each booklet. Printing Type (Inner Sheets): Single side, Black (In Odia) 1st Sheet of the Booklet shall be printed as "Original" and next sheet shall be printed as "Duplicate" (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper size: Demy Paper: Original Sheet (White Colour) - 75 GSM Maplitho, Brightness: 80 (Minimum) Duplicate Sheet (Yellow Colour)- 54 GSM Maplitho Binding Type: Top Pad binding with stapling with hard board on back side. Cover Page: 1 cover page on the front (80 GSM Maplitho Single sided Black Printing as HBVC Checklist for ASHA) Perforation: Perforation at the top of the Pad Binding	Pe Booklet	3200 pcs.

		(in Original sheet of the booklet only)		
143	NBSU Docket Folder with Pocket	Each SNCU case sheet docket folder Set shall contain the following Specification Size: 9.6" x 12" (Folding size) Pages: 4 + inside 1 pocket Paper: 350 GSM Art Paper (Gloss Finish), Brightness: 80 (Minimum) Printing: Multi Colour offset printing [(Front & Back of the folder) and a Pocket] Folding & Pasting: One-Fold & One Pocket (12 x 24 cm.) pasting	Per Folder	3500 pcs
144	Discharge Card	Size: 8.5" x 11" (Folding Size) Pages: 4 Paper: 120 GSM Maplitho, Brightness: 77 (Min.) Printing: Both side Multi Colour offset printing Folding: One Fold	Per Card	3500 pcs
145	Treatment continuation & Clinical Condition record sheet	Size: 8.5" x 11" (Folding Size) Pages: 4 Paper: 120 GSM Maplitho, Brightness: 77 (Min.)	Per sheet	3500 pcs

Financial Bid (Cover-B)

Sl No	Name of the Item	Specification	Unit of Measure	Rate quoted	
				In Figures	In words
1	Swasthya Kantha Calendar	Paper Size – 75cm X 50cm, Paper quality – 170 GSM Art Paper, Process – Multi colour (4 colour) printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right.	Per Calendar		
2	IEC Calendar for School	Size of each sheet of calendar – 91 cm X 58.5 cm, No of sheet in each calendar – 10 sheets, Paper to be used :- 220 GSM Art Paper, Colour :- Multi colour, BINDING :- Each sheet both side Glossy lamination, Top wireo with hanger, Calendar is packed with a strong Polythene bag/Envelope size – 24” X 37”	Per Calendar		
3	Poster	Poster Size:- 44 cm X 56cm, Paper quality :- 170 GSM Art paper, Process :- Multi colour printing.	Per Poster		
4	Poster	Poster Size:- 44 cm X 56cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing.	Per Poster		
5	Poster	Poster Size:- 44 cm X 56cm, Paper quality :- 170 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right	Per Poster		
6	Poster	Poster Size:- 44 cm X 56cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing, Post Process – Fixing with Adhesive gum tape on the back side Top & Bottom end of the calendar from left to right.	Per Poster		
7	Poster	Poster Size:- 58.5 cm X 91cm, Paper quality :- 130 GSM Art paper, Process :- Multi colour printing,	Per Poster		
8	Leaflet	Paper size- 22 cm X 28 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Single side Printing	Per Leaflet		
9	Leaflet	Paper size- 22 cm X 28 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet		
10	Leaflet	Paper size- 22 cm X 28 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Single side Printing	Per Leaflet		
11	Leaflet	Paper size- 22 cm X 28 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet		
12	Leaflet	Paper size- 15.5 cm X 21.8 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour single side Printing	Per Leaflet		
13	Leaflet	Paper size- 15.5 cm X 21.8 cm, Paper quality- 130 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet		
14	Leaflet	Paper size- 15.5 cm X 21.8 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour single side Printing	Per Leaflet		
15	Leaflet	Paper size- 15.5 cm X 21.8 cm, Paper quality- 90 GSM Art Paper, Process- Multicolour Both side Printing	Per Leaflet		

16	Folder	Paper Size- 44 cm X 28 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per Folder		
17	Folder	Paper Size- 44 cm X 28 cm, Paper quality- 170 GSM Art paper, Multi-colour both side printing	Per Folder		
18	Folder	Paper Size- 36 cm X 24.5 cm, Paper quality- 220 GSM Art paper, Multi-colour both side printing	Per Folder		
19	Folder	Paper Size- 36 cm X 24.5 cm, Paper quality- 170 GSM Art paper, Multi-colour both side printing	Per Folder		
20	Folder	Paper Size- 28 cm X 14 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per Folder		
21	Folder	Paper Size- 28 cm X 14 cm, Paper quality- 170 GSM Art paper, Multi colour both side printing	Per Folder		
22	Folder	Paper Size- 29.7 cm X 21 cm, Paper quality- 220 GSM Art paper, Multi colour both side printing	Per Folder		
23	Folder	Paper Size- 29.7 cm X 21 cm, Paper quality- 170 GSM Art paper, Multi colour both side printing	Per Folder		
24	Patient Treatment Card/Booklet	Paper size – 28cmX22cm, Total 6 sheets, Cover page- 220 GSM Art paper, Inner page-90 GSM Art paper, Printing process: Multicolour both side printing, Post Process: Single fold & stappling in the middle of the booklet page wise, resulting to 24 pages of 14cm X 22 cm booklet.	Per Booklet		
25	Booklet	Paper Size-28 cm X 21 cm, Total – 10 sheets multi colour both side print, Cover page -220 GSM Art paper, Inside page – 90 GSM brightening white Maplittho paper, Post Process:- single fold and stappling in the middle of the booklet	Per Booklet		
26	Booklet	Paper Size-42 cm X 27 cm, Total – 10 sheets multi colour both side print, Cover page -220 GSM Art paper, Inside page – 90 GSM brightening white Maplittho paper, Post Process:- single fold and stappling in the middle of the booklet	Per Booklet		
27	Sterilization operation Consent Form/ Booklet	Paper size – 44cmX28cm, Total pages - 4 sheets, Paper quality : 60 GSM Maplittho paper, white bright, Black-White both side printing, Post Process: Single fold & stappling in the middle of the booklet page wise, resulting to 16 pages of 22cm X 28 cm booklet.	Per Booklet		
28	ASHA Incentive claim voucher pad for 13 activity	Paper size – A4, Total no of pages – 36 (32 inner pages + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad		
29	ASHA Incentive claim voucher pad for rest 40 activity	Paper size – A4, Total no of pages – 68 (64 inner pages + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process- Binding	Per Pad		
30	ASHA Grade card (Mo Dakhyata)	Paper size – 1/4 demy, Paper quality – 160 GSM drawing sheet, single side multicolour offset printing	Per Card		

31	Sector Meeting Register	Paper size – 30cm*20cm, Total pages- 88 (84 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- 1/4 demy, inner printing- black & white, Cover page- size- 1/4 demy, multicolour printing, Post process:- binding with hard card board and cloth	Per Register		
32	HBNC Format	Unit: Booklet, size- 1/4 demy, total pages-12 paper quality- 80 GSM maplitho paper, Brightness-77 (minimum)both side printing of all pages Post Process- binding centre stitching with perforation of last page	Per Piece		
33	ASHA Incentive Voucher Book	50 sheet voucher book with single side printing, Paper quality – 60-70 GSM, Paper size – 10.5 X 29.5 cm, Post process – Binding with 220 GSM paper on the front & back cover of the book	Per Piece		
34	Hand Book for vaccine & cold chain handlers	Cover Page-240 GSM Art paper & Inner page- 170 GSM Art paper, Paper size 28 cm X 21.5 cm, Total sheet – 120 sheet, Multi colour printing both side, Post Process- Binding	Per Piece		
35	SNCU Docket	Paper size – 30.5 cm X 48 cm, Paper quality – 220 GSM, Single fold with inside pocketing, Pocket size – 11 cm X 24 cm in 220 GSM paper, Printing Process – Multi colour single side print on pocket & docket.	Per Docket		
36	Printing of Forms Black & White	Paper size- A4, Quality -60-70 GSM Single side B/W print	Per Sheet		
37		Paper size- A4, Quality -60-70 GSM Both side B/W print	Per Sheet		
38		Paper size- A3, Quality -60-70 GSM Single side B/W print	Per Sheet		
39		Paper size- A3, Quality -60-70 GSM Both side B/W print	Per Sheet		
40		Paper size- A2, Quality -60-70 GSM Single side B/W print	Per Sheet		
41		Paper size- A2, Quality -60-70 GSM Both side B/W print	Per Sheet		
42		Paper size- Letal- FS, Quality -60-70 GSM Single side B/W print	Per Sheet		
43		Paper size- Legal- FS, Quality -60-70 GSM Both side B/W print	Per Sheet		
44	Printing of Forms Multi colour	Paper size- A4, Quality – 130 GSM Single side print	Per Sheet		
45		Paper size- A4, Quality – 130 GSM Both side print	Per Sheet		
46		Paper size- A3, Quality – 130 GSM Single side print	Per Sheet		
47		Paper size- A3, Quality – 130 GSM Both side print	Per Sheet		
48		Paper size- A2, Quality – 130 GSM Single side print	Per Sheet		
49		Paper size- A2, Quality – 130 GSM Both side print	Per Sheet		
50	Report Pad	Paper size – 14.5 cm X 21 cm, 70 GSM, 100 sheet single side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		

51	Report Pad	Paper size – 14.5 cm X 21 cm, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
52	Report Pad	Paper size – 29.5 cm X 21 cm or A-4, 70 GSM, 100 sheet single side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
53	Report Pad	Paper size – 29.5 cm X 21 cm or A-4, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
54	Report Pad	Paper size – A3, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
55	Report Pad	Paper size – A3, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
56	Report Pad	Paper size – A2, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
57	Report Pad	Paper size – A2, 70 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
58	OPD Register/IPD Register	Paper size – 42 cm X 56 cm, Paper quality – 60-70 GSM, 200 Sheet, Both side B/W printing, Post Process – single fold with centre Thread Stitching	Per Register		
59	Labour Room Register	Paper size – 36 cm X 48 cm, Paper quality – 60-70 GSM, 200 Sheet, Both side B/W printing, Post Process – Left side Thread stitching & binding Top cover – 220 GSM printed & bottom card board.	Per Register		
60	Malaria Register	Paper size – A3, Paper quality – 60-70 GSM, 100 Pages, Single side B/W printing, Post Process – Left side binding with card board at Bottom and 220 GSM paper on Top cover with naming & tearing mark.	Per Register		
61	LQAS Booklet	Unit : Booklet , Size – 42cm X 28cm , Paper Quality : 60 GSM, Cover Sheet - 1 Sheet with bothside 21 preferably 21 printing , Inner page 4 sheet with both side B/W printing. Post Process: single fold and double staple in the middle of the booklet resulting of final 20 pages of 21cm X 28cm.	Booklet		

62	Patient Referral cards at PHC Level	Unit- Book let, No of sheets :_ 50 (50 sheets marked as original + 50 sheets marked as duplicate) with one carbon sheet in each booklet. Printing side- Black, One sheet of booklet shall be printed as “Original” and the next sheet shall be printed as “Duplicate” (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper Size:- 1/4 demy, Paper – Original Sheet- 80 GSM Maplitho, Brightness- 80 Minimum, Duplicate Sheet (Yellow Colour) – 54 GSM Maplitho), Binding Type- Top pad binding with stapling with 1/2 pound hard board on the back side, Cover page- 1 cover page on the front (80 GSM Maplitho Single sided Black Printing as Patient Referral Card – PHC/Sub-Centre) Perforation: Perforation at the top of the Pad Binding (In original sheet of the booklet only)	Per Piece		
63	Flip Book	Unit : Flip Book , Size – 21cm X 29.5cm Total No of Flip Sheet - 15 Sheet, Paper – (Flip Sheets) :- 300 GSM Art paper (Gloss Finish), Brightness:- 80 Minimum, Printing (Flip Sheets) Multi colour both side offset printing, Lamination:- Both side lamination of the flip sheets, Binding:- Wiro Top binding with 20 mm Wiro, Flip Stand cover:- Flip stand cover (1 1/2 pound mill board: 2 nos connected with with each other with base having folding arrangement for hand held as well as table top position) having white Art paper 130 GSM, brightness- 80 minimum pasting with Wiro binding.	Per Book		
64	Flip Book	Unit : Flip Book , Size – 15cm X 21cm, Total No of Flip Sheet - 15 Sheet, Paper – (Flip Sheets) :- 300 GSM Art paper (Gloss Finish), Brightness:- 80 Minimum, Printing (Flip Sheets) Multi colour both side offset printing, Lamination:- Both side lamination of the flip sheets, Binding:- Wiro Top binding with 20 mm Wiro, Flip Stand cover:- Flip stand cover (1 1/2 pound mill board: 2 nos connected with with each other with base having folding arrangement for hand held as well as table top position) having white Art paper 130 GSM, brightness- 80 minimum pasting with Wiro binding.	Per Book		
65	NCD Drugs Paper Pouch	Unit :- Envelope, Size :- 4.5” X 9”, Paper quality- 90 GSM Maplitho Paper, Brightness :- 77 (Minimum), Multi colour Printing	Per Envelope		
66	Case Record & Information Sheet for NTCP	Unit :- Book let, Size :- 1/4 Demy, Total No. of Pages :- 12, Paper Quality:- 8 pages- 80 GSM Maplitho Paper, Brightness- 77 (Minimum) 4 pages – 90 GSM Maplitho Paper, Brightness- 77 (Minimum). Printing :- 8 pages- Both side Single Colour Printing & 4 pages – Single side Multicolour Printing, Binding- centre stitching, Perforation_ Perforation at middle of 9 th page and side with border at 11 th page (in 90 GSM Maplitho paper)	Per Booklet		
67	Wall Hanging Calendar	Paper Size – 30 cm X 45 cm, Paper quality – 170 GSM Art paper, Process – Multi colour offset both side printing, Post Process:- Binding- Wire-O binding including paper, Total 8 pages per calendar.	Per Calendar		

68	Glow Sign Board	Material – Star back lit Flex, Multi-colour printing & fixing on the Iron frameBox – 18 gauge GI sheet, Back Lid print including electrical quality lighting	Per Square Feet		
69	Carbonized Prescription Pad	Specifications of prescription pad (without carbon paper) Single side :- 15 cm X 21 cm (23refera). Each set containing two sheets – first sheet of self-carbon material of 80 GSM basis weight (white) suitable for writing an second sheet of self-carbon writing & printing paper 60 GSM Maplitho (yellow), which should carry the impression of writing on the first sheet. The paper sheets shall have printed matter in single colour. Each prescription pad shall contain 100 sets with perforations/adhesive at the pad for easy tear off. Each pad should be tied up with one thick paper board (not less then 300 GSM) of the same size at the pad. The thick paper board shall be used for placing between the prescriptions sets so that while writing a prescription on one set the impression does not go into the next set.	Per Pad		
70	Lab Reporting Pad	Paper Size :- 15 cm X 21 cm (23refera.). The paper sheets shall have printed matter in single colour. Each prescription pad shall contain 100 sheet with perforations/ adhesive at the pad for easy tear off. Each pad should be tied up with one thick paper board on face & bottom end (Not less than 300 GSM) of the same size.	Per Pad		
71	Printed Envelope for X-Ray film	Printing of bright Yellow colour envelope for X-Ray film free size- Film size 10 inch X 12 inch, Paper quality-brightened paper of 130 GSM	Per Envelope		
72	Printed Envelope for X-Ray film	Printing of bright Yellow colour envelope for X-Ray film free size- Film size 12 inch X 15 inch, Paper quality-brightened paper of 130 GSM	Per Envelope		
73	White Envelope	Envelope size – 11 cm X 23 cm, Paper quality – 60 GSM,	Per Envelope		
74	Printed Medicine Pouch/ Envelope	Multi-colour printed medicine Pouch/Envelope for dispensing medicines, Size 10 cm X 18 cm, Paper quality-70 GSM	Per Pouch		
75	Patient File	Open Size – 56 cm X 35 cm, Close size – 28 cm X 35 cm, Single fold, Printable area – front page single side. Paper quality -170 GSM brightening yellow colour paper, Post Process : i-led punching at the top left corner of the file	Per File		
76	Office Folder File	File size:- 55 cm X 35 cm, Paper quality – 400 GSM laminated, single side print, Inner side cloth patching, Post Process:- 2 fold, 1 st fold at 25 cm from left, 2 nd fold 5 cm from right, iled punching at the top left corner of the folder	Per File		
77	Paper Sticker	Sticker size – 14 cm X 22cm, Paper quality – 90 GSM Sticker Paper with multi-colour printing.	Per Sticker		
78	Paper Sticker	Sticker size – 28 cm X 44cm, Paper quality – 90 GSM Sticker Paper with multi-colour printing.	Per Sticker		
79	Paper Sticker	Sticker size – 44 cm X 56 cm, Paper quality – 90 GSM Sticker Paper with multi-colour printing.	Per Sticker		
80	Vinyl Sticker	Eco solvent vinyl sticker 130 GSM	Per Square Feet		

81	Radium Sticker	Radium sticker 250 GSM	Per Square Feet		
82	Exhibit/Standee	Multi-colour flex printing and pasting in 1 inch iron square bar frame with supporting bar and stand.	Per Square Feet		
83	Printing of Flex Banner	Flex banner printing, Quality:- 240 GSM & four punch holes in each corner of the banner	Per Square Feet		
84	Printing of Fabric Banner	Fabric banner printing, Quality:- 240 GSM & four punch holes in each corner of the banner	Per Square Feet		
85	Change of Flex in Hoarding	Multi-colour CMYK(4 colour) flex printing in 250 GSM STAR flex & Fitting on the hoardings of Health institutions at Block and District	Per Square Feet		
86	Change of Fabric Cloth in Hoarding	Multi-colour CMYK(4 colour) fabric cloth printing in 250 GSM STAR flex & Fitting on the hoardings of Health institutions at Block and District	Per Square Feet		
87	Vehicle Decoration (TATA ACE)	Printing of multi-colour flex banner and pasting with 1 inches iron bar frame in all 4 sides in temple model with flower decoration (Vehicle both Side- 8ftx6ft, Vehicle back side- 5ftx6ft, vehicle front- 5ftx2.5ft , top 5ftx2.5ft & top side 10ft long temple model) (Prototype of vehicle attached in Annexure – I)	Per Vehicle		
88	Wall Painting at Village & Health Institutions	Multi-colour wall painting to be done after double coating of good quality white enamel paint over wall there after designing with Art work and letter (Odia & English). Paint of reputed manufacturer to be used.	Per Square Feet		
89	Branding & Mounting of IEC materials at Health Institutions	Materials to be used:- 6 mm thickness Sun Board Printing Process- Eco Solvent Vinyl Print and mounting with steel stud in 4 corners at Health Institutions of Bargarh District (Including fitting charges)	Per Square Feet		
90	Sun Board	Materials to be used:- 6 mm thickness Sun Board Printing Process- Eco Solvent Vinyl Print	Per Square Feet		
91	Acrylic Signage	Base Sheet -4 mm thickness Acrylic sheet Printing Process – Radium Stickers on board	Per Square Feet		
92	Acrylic Signage	Base Sheet -4 mm thickness Acrylic sheet Printing Process – Eco solvent Vinyl Sticker on board	Per Square Feet		
93	White Board	White Board with aluminium frame, best quality white surface material to be used for training purpose	Per Square Feet		
94	White Board	White Board with aluminium frame printed with Eco Solvent Vinyl sticker, best quality white surface material to be used	Per Square Feet		
95	Directional Steel Signage double stand	Material to be used:- JOIST :-2 inches diameter round/square steel pipe of size – 11 ft height with top cap – 2 nos Display area: 4 ft x 3 ft in 1 inch steel square bar and top cover steel sheet of 16 gauge to be fitted with joist, display area with both side radium sticker (Inclusive of installation charges at health institutions in district) below ground 2 ft, Structure of hoarding will be of 5 feet height from ground level.	Per Piece		

96	Directional Steel Signage single stand	Material to be used:- JOIST :-2 inches diameter round/square steel pipe of size – 8 ft height with top cap – 1 no. Display area: 1.5 ft x 2 ft in 1 inch steel square bar and top cover steel sheet of 16 gauge to be fitted with joist, display area with both side radius stickering (Inclusive of installation charges at health institutions in district) below ground 2 ft, Structure of hoarding will be of 4 feet height from ground level.	Per Piece		
97	CANOPY	Canopy size – 6ft X 6 ft X 7 ft size (Photo attached – Annex II) Including supply of Fabric Banner for canopy as per size mentioned with fitting. (Prototype of Hoarding is attached in Annexure –II)	Per Canopy		
98	Erection of Large Hoarding at strategic locations in the District & Block (Including all cost of Installation)	<u>Specification & Structure (Attached Photo)</u> Hoarding size (Display area) 16 ft X 8 ft, Good Quality of surface angle frame to be used. <ul style="list-style-type: none"> ● Joist - 5 inches X 2.5 inches ● Angle - 3 inches X 3 inches ● Angle - 2 inches X 2 inches ● 3 feet deep concrete on each pole of the board along with supporting iron angle. ● Frame should be made from Iron Angle ● 250 GSM Fabric cloth banner to be display with digital multicolour printing on hoarding ● Fabric cloth should be pocketed & fixed by iron pipes & GI Wire ● Structure of the hoarding will be of 5 feet height from the ground level. (Prototype of Hoarding is attached in Annexure –III) 	Per Hoarding		
99	Erection of Mini Hoarding at strategic locations in the District & Block (Including all cost of Installation)	<u>Specification & Structure</u> Size of the Display area in hoarding – 6 ft X 3 ft Display material – Preferably 18 gauge printed or painted Tin Plate. Total Height from inside the ground – 10 ft L Iron angle (2 inches L iron angle should be used) <ul style="list-style-type: none"> ● Base (inside ground) 2 feet inside cement concrete ● Above ground (ground to top) – 8 ft. ● Length – 6 ft iron angle (2 inches L Iron angle should be used) ● Mid Joist Bar to support display material – 3 ft L iron angle (2 inch L iron angle should be used) (Prototype of Hoarding is attached in Annexure –IV) 	Per Hoarding		
100	Erection of Mini Hoarding at strategic locations in the District & Block (Including all cost of Installation)	<u>Specification & Structure</u> Size of Display area in the hoarding 4ft X 3 ft. Display material – 25referably 18 gauge printed or painted Tin Plate. Total Height from inside the ground – 10 ft L Iron angle (2” L iron angle should be used) <ul style="list-style-type: none"> ● Base (Inside ground) -2 ft inside cement concrete ● Above Ground (ground to top) 8 ft ● Length – 4 ft L iron angle (2” L Iron angle should be used) ● Mid Joist bar to support display material – 3 ft L Iron angle (2” L Iron angle should be used) (Prototype of Hoarding is attached in Annexure –IV) 	Per Hoarding		
101	Emergency LED sign board	Material – Acrylic, Designed type customised, Voltage-240 V, Frequency- 50 Hz, Installation wall mounting, Multi colour letter, at least clear visibility from 200 meters, Water proof, Maintenance warranty- 2 years.	Per sq. ft.		

102	Room Signage	P-Shape, wall hanging signage, signage replaceable when needed, Material to be used – 1 inch Steel square bar, display material:- 4 mm Acrylic sheet inside the frame with radium stickering both side. Display area size – 18” X 9”	Per Piece		
103	MCP Card	Paper size -27 cm x 34 cm, Paper quality – 220 GSM Art Paper, Total Pages – 5 sheets, Multi-colour printing both side, Post Process:- Single middle fold and to be stapled (3 nos) in the middle, resulting 40 pages finally	Per Card		
104	Welcome Board of MAS	MAS Welcome Board: 2 ft X 1 ft size Printed 1mm thick tin sheet or 1 mm thick Tin sheet pasted with Matt laminated printed vinyl for longevity with frame of 1”x1” L angle MS rod fixed with 2 legs 2”x2” L angle MS rod of height 4.5 ft out of which 1ft to be inside ground with concrete reinforcements. All fixing of the display board should be done by applying welding for strength and longevity. (Prototype of Hoarding is attached in Annexure –V)	Per Piece		
105	Report Pad	Paper size – FS Ledger paper, 100 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
106	Report Pad	Paper size – 32 x 20 cm, 100 GSM, 100 sheet both side B/W print, Post Process: Thread stitching & binding with tearing mark, Top cover – 220 GSM printed & bottom card board.	Per Pad		
107	DAMaN Register	10 pages both side with 300 GSM cover, A3 Size	Per Register		
108	M/M1/M4/SSLR/SSMR Register	Black & white with hard Cover-300 GSM containing 50 pages, A3 Size	Per Register		
109	Filaria/M3 Register	Black & white with hard Cover-300 GSM containing 50 pages, A4 Size	Per Register		
110	Pocket IEC Manual (Flyer)	A5 size, 220 GSM Art paper, Printing process: Multicolour both side printing, Post Process: Folded.	Per Manual		
111	Flipbook for MAS, ASHA & Other FLWs	Size : 30 cm X 20 cm Pages : 50 pages (25 sheets) (Tentative) Paper : 300 GSM Art paper Printing: Multi colour Binding: - Wire-O binding - Inner pages both side glossy lamination Table Stand: 28 no. mill board with 130 GSM art paper cover pasting	Per Flipbook		
112	Printing of Health Calendar with lamination	Size- 11.5 inch X 18 inch (Half Demy) b. Paper – 130 GSM Art Paper c. Process – Multicolour offset printing d. Binding – Wire-O binding including hanger e. No of sheets: 7 sheets (14 pages) both side printing f. Lamination: 8 pages glossy lamination	Per Calendar		
113	Printing of Health Calendar without lamination	Size- 11.5 inch X 18 inch (Half Demy) b. Paper – 130 GSM Art Paper c. Process – Multicolour offset printing d. Binding – Wire-O binding including hanger e. No of sheets: 7 sheets (14 pages) both side printing	Per Calendar		
114	Dynamic Steel/ Aluminium frame wide base Standee	Size : 5ft X 3ft or 6ft X 3ft Frame: Aluminium frame with wide base (reusable) Multi Colour fabric media printing with mounting	Per standee		
115	Retro signage for UHND & RI	Board Size:1.5ft height x1ft Width Providing, fitting, fixing up signages using upper high	Per Sq. ft		

	Points	efficiency full cube Retro-reflective sheeting of white colour bonded on to 2 mm tin sheet over which alphabets and numerical are printed using OEM matched component inks and UV laminated with OEM approved over laminates. (Prototype of Hoarding is attached in Annexure –VI)			
116	Installation of Retro-Hoarding @ Rs.20,000/- per Hoarding	Board Size:4ft height x3ft Width Providing, fitting, fixing up informative boards using upper high efficiency full cube Retro-reflective sheeting of white colour bonded on to 4mm aluminium sheet / ACP (0.25 +3.50+0.25-pdvf coated) over which alphabets and numerical are printed using OEM matched component inks and UV laminated with OEM approved over laminates (covers 3 years warranty from the date of manufacturing on colour fading , peel off) The board shall be provided with frame made out of 202 grade stainless pipes shall be mounted on two vertical posts made out of 50mm NB stainless pipe as have been installed including concreting / releveling reinforcement etc. The height of this post should be 10ft in which 1.5ft under the ground, rest will visible above of the ground. Fixing of the board including cost of the materials, conveyance, labour, transportation etc. required for the work. (Prototype of Hoarding is attached in Annexure – VII)	Per hoarding		
117	Branding of vehicle	With Eco solvent printing on vinyl substance with stickering provision for sharper image quality. Multi colour stickering to be made as per sample graphics provided.	Per sq. ft.		
118	Register	Paper size – 30cmX20cm, Total pages- 150 (146 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- 1/4 demy, inner printing- black & white, Cover page- size- 1/4 demy, multicolour printing, Post process:- binding with hard card board and cloth	Per Register		
119	Register	Paper size – 30cmX20cm, Total pages- 200 (196 inner + 4 cover page) Paper quality – Inner page – 70 GSM, size- 1/4 demy, inner printing- black & white, Cover page- size- 1/4 demy, multicolour printing, Post process:- binding with hard card board and cloth	Per Register		
120	Certificate	Paper size-A4, Paper quality 220 GSM, Multi colour printing	Per Certificate		
121	Stickering	Radium Stickering	Per sq. ft.		
122	Stickering	Vinyl Stickering	Per sq. ft.		
123	Receipt Book	22 cm X 14 cm, Duplicate with Receipt Number and Cover Binding, Total pages=100 sheet (50 original + 50 duplicate), Paper quality –70 GSM	Per book		
124	Challan Book	19 cm X 22 cm, Duplicate with Serial Number and book number, Cover Binding, Total pages=100 sheet (50 original + 50 duplicate), Paper quality –70 GSM	Per book		
125	HBYC Pad	Paper size – A4, Total no of pages – 34 (15 inner pages original (white paper) and 15 inner pages duplicate (yellow paper) + 4 cover pages) Black & white single side printing (perforated) Paper quality – cover page-160 GSM & Inner page- 70 GSM, Post process-Binding	Per Pad		
126	CBAC Form	Paper size- A4, Quality -90 GSM Both side B/W print	Per Sheet		
127	EPS Training Module Book	Paper size – 32 cm X 24 cm, Total no of pages – 54 (50 inner pages (Black & white both side printing) + 4 cover pages(Multi colour) Paper quality – cover page-160 GSM & Inner page- 70 GSM, Post process-Binding	Per book		

128	EPS Training Module Book	Paper size – 32 cm X 24 cm, Total no of pages – 74 (70 inner pages (Black & white both side printing) + 4 cover pages(Multi colour) Paper quality – cover page- 160 GSM & Inner page- 70 GSM, Post process-Binding	Per book		
128	Album of RBSK	Success Story (Children under RBSK)- Multi Colour Printing on photo paper, Size-A4 size	Per Copy		
129	Patient In door & Outdoor Register	Paper size - 55 cm X 39.5 cm, Both side landscape printing, Paper quality - 40- 50 GSM, Post Process :- Landscape binding with 170 GSM paper on the top hand and hard card board on the bottom end of the register.	Per register		
130	Invitation Card	Paper size - 14 cm X 22 cm, Paper quality - 70 GSM Art paper, Both side multi-colour printing	Per card		
131	Identity Card	10 cm X 6 cm, Multi colour printing, plastic cards, thickness of card is 0.030 inches along with ribbon printed with Dept name & logo	Per Card		
132	Badge	4 cm diameter (220 GSM Art paper) & outer ring with Ribbon	Per Badge		
133	ABHA Card	12 cm X 9 cm (220 GSM Art Paper)	Per card		
134	Patient Treatment Card	Paper Size- A4, Paper quality- 220 GSM drawing Sheet, both side printing	Per card		
135	Patient Identity Card	Paper Size- A4 ½ , Paper quality- 220 GSM drawing Sheet, both side printing	Per card		
136	STS Checklist/PHC Reporting form	Paper Size- A4 ,70 GSM, 100 Sheet both side B/W print, post process: Thread stitching & binding with tearing mark, Top cover 220 GSM printed & bottom card board	Per checklist		
137	Referral Slip/TB Champion form	Paper Size- A4 , 70 GSM, 100 Sheet single side B/W print, post process: Thread stitching & binding with tearing mark, Top cover 220 GSM printed & bottom card board	Per slip		
138	TB Notification Register	Paper Size-36 cm x 48 cm, Paper quality 60-70 GSM, 200 Sheet both side B/W print, post process: left side thread stitching & binding top cover 220 GSM printed and bottom card board	Per register		
139	Drug/Lab Stock Register	Paper Size – 32 x 20 cm, 100 GSM, 100 Sheet both side B/W print, post processes: post process: left side thread stitching & binding top cover 220 GSM printed and bottom card board	Per register		
140	TB Register	Paper Size – FS ledger paper, 100 GSM, 100 Sheet both side B/W print, post processes: post process: left side thread stitching & binding top cover 220 GSM printed and bottom card board	Per register		
141	Gentamicin Treatment Card	Size: 17 cm x 28 cm Printing type: Both sided multi-colours offset printing Paper quality: 250 GSM Art paper (Matt Finish) Brightness: 80 (Min)	Per card		
142	HBYC Booklet	No. of Sheets: 30 (15 Sheets marked as Original + 15 Sheets marked as Duplicate) with one carbon sheet in each booklet. Printing Type (Inner Sheets): Single side, Black (In Odia) 1st Sheet of the Booklet shall be printed as "Original" and next sheet shall be printed as "Duplicate" (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper size: Demy Paper: Original Sheet (White Colour) - 75 GSM Maplitho, Brightness: 80 (Minimum) Duplicate Sheet (Yellow Colour)- 54 GSM Maplitho Binding Type: Top Pad binding with stapling with hard board on back side. Cover Page: 1 cover page on the front (80 GSM Maplitho Single sided Black Printing as HBYC Checklist for ASHA)	Pe Booklet		

		Perforation: Perforation at the top of the Pad Binding (in Original sheet of the booklet only)			
143	NBSU Docket Folder with Pocket	Each SNCU case sheet docket folder Set shall contain the following Specification Size: 9.6" x 12" (Folding size) Pages: 4 + inside 1 pocket Paper: 350 GSM Art Paper (Gloss Finish), Brightness: 80 (Minimum) Printing: Multi Colour offset printing [(Front & Back of the folder) and a Pocket] Folding & Pasting: One-Fold & One Pocket (12 x 24 cm.) pasting	Per Folder		
144	Discharge Card	Size: 8.5" x 11" (Folding Size) Pages: 4 Paper: 120 GSM Maplitho, Brightness: 77 (Min.) Printing: Both side Multi Colour offset printing Folding: One Fold	Per Card		
145	Treatment continuation & Clinical Condition record sheet	Size: 8.5" x 11" (Folding Size) Pages: 4 Paper: 120 GSM Maplitho, Brightness: 77 (Min.)	Per sheet		

Annexure – I
(Prototype of Van decoration)




Annexure –II

(Prototype of Canopy)




Annexure -III

Suggested Hoarding Structure Specification




Annexure -IV


Option-1 : Suggested Mini Hoarding Structure Specification (6' x 3')





Option-2 : Suggested Mini Hoarding Structure Specification (4' x 3')



Annexure -V



Annexure -VI



Annexure -VII

